



# Ikon Suspension

Motorcycle Shock Absorber Application List – Page 2

Motorcycle Fork Spring Application List – Page 46

**BIKE ON WITH IKON**

**January 2017**

Copyright: All details and content Copyright 2016 Proven Products Pty Ltd. No information or images in the document may be copied in any way, by any means, without written permission from Proven Products Pty Ltd. All rights reserved. The information in this document supersedes all previously released information.

Make	Model	Year	Part numbers								Notes
			76 Series	36 / 3610 or 76 / 7610	7610-SP8	7610-SP14	7610-SP15	7610-SP16	7610-SP17	3214/ 7613/ 7614	
			Ikon Basix		Chrome body, spring and cap	Black body and spring	Chrome body, spring, cap and skirt	Black body, spring and cap	Chrome body and cap, black spring		
<b>AJS</b>	Jam pot conversion shock			76-1706							fits into original shock absorber housing using original spring and cover hardware
<b>Aprilia</b>	Pegaso 650			3610-1055							
<b>Aprilia</b>	Scarabeo 150, 200, 250	02-06								7613-1003	single shock models without under seat storage.
<b>Aprilia</b>	Sport City Cube 300	10		7610-1662							
<b>Aprilia</b>	Scarabeo 500	07-11		7610-1629							
<b>Aprilia</b>	ETV 1000 Capanord			3610-1090							
<b>Benelli</b>	2502C	73-86	76-3008	7610-1330							
<b>Benelli</b>	250 Quattro and 254	78-84	76-3000	7610-1250SP4							
<b>Benelli</b>	350 and 354	79-85	76-3003	7610-1282SP10							
<b>Benelli</b>	350 Quattro	79-85	76-3000	7610-1250SP4							
<b>Benelli</b>	350 RS	78-81	76-3000	7610-1250SP4							
<b>Benelli</b>	500 Quattro	73-77	76-3000	7610-1250SP4							
<b>Benelli</b>	500 LS	80-82	76-3003	7610-1282SP10							
<b>Benelli</b>	504	80-83	76-3003	7610-1282SP10							
<b>Benelli</b>	650 Quattro	77-79	76-3001	7610-1250SP5							
<b>Benelli</b>	650 Tornado S	72-76	76-3001	7610-1250SP5							
<b>Benelli</b>	654 / Sport	80-85	76-3003	7610-1282SP10							
<b>Benelli</b>	654T	85-86	76-3003	7610-1282SP10							
<b>Benelli</b>	750 Sei	74-79	76-3001	7610-1250SP5							
<b>Benelli</b>	900 Sei	78-89	76-3013	7610-1418							
<b>BMW</b>	F650	94-00		3610-1068							
<b>BMW</b>	F650GS	00-09		3610-1068							
<b>BMW</b>	K75, K75C ,K75S	85-95		3610-1009							
<b>BMW</b>	K75RT	89-97		3610-1009							
<b>BMW</b>	K100, K100LT, K100RT	83-91		3610-1009							
<b>BMW</b>	K100RS	84-89		3610-1009							
<b>BMW</b>	K75, K100 models as above LOWERED			3610-1007							Lowered shock, 325mm long.

Make	Model	Year	Part numbers								Notes
			76 Series	36 / 3610 or 76 / 7610	7610-SP8	7610-SP14	7610-SP15	7610-SP16	7610-SP17	3214/ 7613/ 7614	
			Ikon Basix		Chrome body, spring and cap	Black body and spring	Chrome body, spring, cap and skirt	Black body, spring and cap	Chrome body and cap, black spring		
<b>BMW</b>	K1	88-93		3610-1008							
<b>BMW</b>	K100RS, paralever	90-93		3610-1008							
<b>BMW</b>	K1100RS, K1100LT	93-98		3610-1008							
<b>BMW</b>	K1200LT	99-		3610-1076							
<b>BMW</b>	K1200GT front	04								3214-1006	
<b>BMW</b>	K1200GT			3610-1088							
<b>BMW</b>	K1200RS	97-05		3610-1016							
<b>BMW</b>	R26 front	55-69		76-1290							use original spring
<b>BMW</b>	R26 rear	55-69		76-1291							use original spring
<b>BMW</b>	R45	78-85	76-3015	7610-1427							
<b>BMW</b>	R50 front	55-69		76-1290							use original spring
<b>BMW</b>	R50 rear	55-69		76-1291							use original spring
<b>BMW</b>	R50/5	69-73	76-3005	7610-1298							Replica billet aluminium covers also available for 7610's:- 70 19 54 127 0
<b>BMW</b>	R60 front	55-69		76-1290							use original spring
<b>BMW</b>	R60 rear	55-69		76-1291							use original spring
<b>BMW</b>	R60/5	69-73	76-3005	7610-1298							Replica billet aluminium covers also available for 7610's:- 70 19 54 127 0
<b>BMW</b>	R60/6	73-76	76-3005	7610-1298							Replica billet aluminium covers also available for 7610's:- 70 19 54 102 0
<b>BMW</b>	R60/7	77-84	76-3005	7610-1298							
<b>BMW</b>	R65/ LS	78-85	76-3015	7610-1427							
<b>BMW</b>	R65	86-93		3610-1020							408mm long mono shock
<b>BMW</b>	R69S front	55-69		76-1290							use original spring
<b>BMW</b>	R69S rear	55-69		76-1291							use original spring
<b>BMW</b>	R75/5	69-73	76-3005	7610-1298							Replica billet aluminium covers also available for 7610's:- 70 19 54 127 0
<b>BMW</b>	R75/6	73-76	76-3005	7610-1298							Replica billet aluminium covers also available for 7610's:- 70 19 54 102 0

Make	Model	Year	Part numbers								Notes
			76 Series	36 / 3610 or 76 / 7610	7610-SP8	7610-SP14	7610-SP15	7610-SP16	7610-SP17	3214/ 7613/ 7614	
			Ikon Basix		Chrome body, spring and cap	Black body and spring	Chrome body, spring, cap and skirt	Black body, spring and cap	Chrome body and cap, black spring		
<b>BMW</b>	R75/7	77-84	76-3005	7610-1298							
<b>BMW</b>	R80G/S	81-86		3610-1005							
<b>BMW</b>	R80GS	88-97		3610-1022							
<b>BMW</b>	R80RT/7	77-84	76-3005	7610-1298							
<b>BMW</b>	R80 / R80RT	85-95		3610-1020							408mm long mono shock
<b>BMW</b>	R80 ST	82-84		3610-1081							
<b>BMW</b>	R90/6 and 6S	73-76	76-3005	7610-1298							Replica billet aluminium covers also available for 7610's:- 70 19 54 102 0
<b>BMW</b>	R100GS / Paris Dakar (93-96)	88-96		3610-1022							
<b>BMW</b>	R100 / CS / RS / RT / S / 7	77-84	76-3005	7610-1298							
<b>BMW</b>	R100 / R100RS	87-96		3610-1020							408mm long mono shock
<b>BMW</b>	R100 / R100RT / Classic	87-95		3610-1020							408mm long mono shock
<b>BMW</b>	R100R	91-96		3610-1021							
<b>BMW</b>	R850GS rear	00-01		3610-1080							
<b>BMW</b>	R850R front	95-01								3214-1001	
<b>BMW</b>	R850R rear	95-01		3610-1016							
<b>BMW</b>	R1100GS front	94-00								3214-1001	
<b>BMW</b>	R1100GS rear	94-00		3610-1080							
<b>BMW</b>	R1100R, RS, RT front	93-02								3214-1001	
<b>BMW</b>	R1100R, RS, RT rear	93-02		3610-1016							
<b>BMW</b>	R1100RT rear	06		3610-1016							
<b>BMW</b>	R1100S front									3214-1001	
<b>BMW</b>	R1100S rear	98-05		3610-1044							
<b>BMW</b>	R1150GS front	99-05								3214-1012	
<b>BMW</b>	R1150GS rear	99-05		3610-1045							
<b>BMW</b>	R1150GSA front	02-05								3214-1011	
<b>BMW</b>	R1150RT rear	01-05		3610-1042							
<b>BMW</b>	R1200C front									3214-1002	
<b>BMW</b>	R1200C rear	97-02		3610-1032							

Make	Model	Year	Part numbers								Notes
			76 Series	36 / 3610 or 76 / 7610	7610- SP8	7610- SP14	7610- SP15	7610- SP16	7610- SP17	3214/ 7613/ 7614	
			Ikon Basix		Chrome body, spring and cap	Black body and spring	Chrome body, spring, cap and skirt	Black body, spring and cap	Chrome body and cap, black spring		
<b>BMW</b>	R1200GS									3214-1010	
<b>BMW</b>	R1200RT front	05-								3214-1001	
<b>BSA</b>	Rocket 3 750			7610-1283+ spring ordered separately 250- 19/29/42 (222)							conventional use, for solo use see*
<b>BSA</b>	*for solo use only on this model use:			7610-1283+ spring ordered separately 250- 15/21/28 (215)							
<b>BSA</b>	A65 various including Lightning	70-71	76-3002	7610-1282SP6							13" shock models
<b>BSA</b>	A65 various including Lightning	72	76-3001	7610-1250SP5							12.5" shock models
<b>BSA</b>	B44 Shooting Star and Victor	65-70	76-3002	7610-1282SP6							conventional use, for solo use see*
<b>BSA</b>	B44 Shooting Star and Victor	65-70	76-3003	7610-1282SP10							has lighter spring than the SP6
<b>BSA</b>	B40 - 13" shocks		76-3003	7610-1282SP10							CHANGE BOTTOM BUSH TO CODE 180
<b>BSA</b>	B25SS, B25R Gold Star, B25T Victor	70-72	76-3003	7610-1282SP10							
<b>BSA</b>	B50SS, B50R Gold Star, B50T Victor	70-72	76-3003	7610-1282SP10							
<b>Buell</b>	M2 Cyclone			3610-1071							
<b>Cagiva</b>	350 Ala Verde	85-87		7610-1419							
<b>Cagiva</b>	650 Ala Zurra	87-88		7610-1419							
<b>Can Am</b>	Spyder (front)	-09								7613-1005	
<b>Can Am</b>	Spyder (rear)	-09		3610-1014							
<b>Can Am</b>	Spyder (rear) RT			3610-1084							
<b>Can Am</b>	Spyder (front) RT Limited	14-								7613-1006	

Make	Model	Year	Part numbers								Notes
			76 Series	36 / 3610 or 76 / 7610	7610-SP8	7610-SP14	7610-SP15	7610-SP16	7610-SP17	3214/ 7613/ 7614	
			Ikon Basix		Chrome body, spring and cap	Black body and spring	Chrome body, spring, cap and skirt	Black body, spring and cap	Chrome body and cap, black spring		
<b>Ducati</b>	250/350/450 Mk3 and Desmo and Scrambler	upto-76	76-3008	7610-1330	•	•		•		3214-1330	
<b>Ducati</b>	Scrambler Sixty2 400cc	16		3610-1098							
<b>Ducati</b>	500LD/SL Pantah	78-85	76-3008	7610-1330	•	•		•		3214-1330	
<b>Ducati</b>	600TL/SL Pantah	81-85	76-3008	7610-1330	•	•		•		3214-1330	
<b>Ducati</b>	650SL Pantah	85-86	76-3008	7610-1330	•	•		•		3214-1330	
<b>Ducati</b>	696 Monster	08-12		3610-1057							
<b>Ducati</b>	750GT / Sport	72-75	76-3008	7610-1330	•	•		•		3214-1330	Some earlier listings have shown 7610-1418.
<b>Ducati</b>	750 / Super Sport	72-76	76-3001	7610-1250SP5						3214-1250SP5	
<b>Ducati</b>	750 Super Sport	97		3610-1067							
<b>Ducati</b>	750 Indiana	89-90	76-3011	7610-1397							
<b>Ducati</b>	Scrambler 800cc	14-16		3610-1098							
<b>Ducati</b>	860 GT/ GTS	75-79	76-3013	7610-1418	•	•		•		3214-1418	
<b>Ducati</b>	900 GTS	75-79	76-3013	7610-1418	•	•		•		3214-1418	
<b>Ducati</b>	900SD Darmah	78-85	76-3013	7610-1418	•	•		•		3214-1418	
<b>Ducati</b>	900SD/SS Darmah	75-77	76-3001	7610-1250SP5							Some riders may prefer the shorter 7610-1330 on this model.
<b>Ducati</b>	900SS	78-82	76-3013	7610-1418	•	•		•		3214-1418	
<b>Ducati</b>	900 Replica	79-84	76-3013	7610-1418	•	•		•		3214-1418	
<b>Ducati</b>	900S2 Desmo	83-85	76-3013	7610-1418	•	•		•		3214-1418	
<b>Ducati</b>	900 S (Sport)	88-89		3610-1079							
<b>Ducati</b>	1000S2 Desmo	83-85	76-3013	7610-1418	•	•		•			
<b>Ducati</b>	1000 Biposto Sport	06-09								7614-2005, 3214-2005	
<b>Ducati</b>	GT1000	06-09								7614-2005, 3214-2005	
<b>Gilera</b>	Fuoco 500 scooter, rear shocks			7610-1621							

Make	Model	Year	Part numbers								Notes
			76 Series	36 / 3610 or 76 / 7610	7610-SP8	7610-SP14	7610-SP15	7610-SP16	7610-SP17	3214/ 7613/ 7614	
			Ikon Basix		Chrome body, spring and cap	Black body and spring	Chrome body, spring, cap and skirt	Black body, spring and cap	Chrome body and cap, black spring		
<b>Harley Davidson</b>	<b>Softail</b>										
<b>Harley Davidson</b>	FLST, FXST	84-88		36-1002							Re-use original springs, covers and piston rod attachment
<b>Harley Davidson</b>	FLST, FXST	89-11		36-1001							Re-use original springs, covers and piston rod attachment
<b>Harley Davidson</b>	<b>Sportsters</b>										
<b>Harley Davidson</b>	All Sportsters, eg KH, KH K900	52-72		76-1336							
<b>Harley Davidson</b>	All Sportsters, eg XLCR, XLH1000, XLS1000 Roadster	77-87	76-3023	7610-1513	•	•		•	•		
<b>Harley Davidson</b>	XL, XLH, XLCH 1000	57-78		76-1336							
<b>Harley Davidson</b>	XLH 883 Sportster	84-87	76-3023	7610-1513	•	•		•	•		
<b>Harley Davidson</b>	XLH 883 Sportster / Sportster Deluxe	88-93	76-3024	7610-1517	•	•		•	•		approx. standard height
<b>Harley Davidson</b>	XLH 883 Sportster / Sportster Deluxe	88-93	76-3031	7610-1539	•	•		•	•		12" shock lowers bike approx. 40mm
<b>Harley Davidson</b>	XLH 883 Sportster/ Sportster Deluxe-Extra heavy duty	88-93	76-3038	7610-1617	•	•		•	•		12" shock lowers bike approx. 40mm for riders or loads above 95kg
<b>Harley Davidson</b>	XLH 883 Sportster / Sportster Deluxe = 13"shock	94-05	76-3027	7610-1528	•	•		•	•	7614-1528	approx. standard height. 7610-1601/SP8 is for heavier duty applications. eg regular loads above 95kg.
<b>Harley Davidson</b>	XLH 883 Sportster / Sportster Deluxe= 13" shock	94-05	76-3035	7610-1601	•	•		•	•	7614-1601	
<b>Harley Davidson</b>	XLH 883 Sportster / Sportster Deluxe = 12" shock	94-05	76-3031	7610-1539	•	•		•	•		12" shock lowers bike approx. 40mm

Make	Model	Year	Part numbers								Notes
			76 Series	36 / 3610 or 76 / 7610	7610-SP8	7610-SP14	7610-SP15	7610-SP16	7610-SP17	3214/ 7613/ 7614	
			Ikon Basix		Chrome body, spring and cap	Black body and spring	Chrome body, spring, cap and skirt	Black body, spring and cap	Chrome body and cap, black spring		
<b>Harley Davidson</b>	XLH 883 Sportster / Sportster Deluxe-Extra heavy duty = 12"shock	94-05	76-3038	7610-1617	•	•		•	•		12" shock lowers bike approx. 40mm for riders or loads above 95kg
<b>Harley Davidson</b>	XL 883, XL 883R Sportster	04-09	76-3027	7610-1528	•	•		•	•		standard height.7610-1601/SP8 is for heavier duty applications. eg regular loads above 95kg.
<b>Harley Davidson</b>	XL 883,XL 883R Sportster-Extra heavy duty	04-09	76-3035	7610-1601	•	•		•	•	7614-1601	
<b>Harley Davidson</b>	XL50, 1200 Anniversary Sportster	07	76-3027	7610-1528	•	•		•	•		approx. standard height. 7610-1601/SP8 is for heavier duty applications. eg regular loads above 95kg.
<b>Harley Davidson</b>	XL50, 1200 Anniversary Sportster-Extra heavy duty	07	76-3035	7610-1601	•	•		•	•	7614-1601	
<b>Harley Davidson</b>	XL50, 1200 Anniversary Sportster	07	76-3031	7610-1539	•	•		•	•		12" shock lowers bike approx. 40mm
<b>Harley Davidson</b>	XL50,1200 Anniversary Sportster-Extra heavy duty	07	76-3038	7610-1617	•	•		•	•		12" shock lowers bike approx. 40mm for riders or loads above 95kg
<b>Harley Davidson</b>	XL53C Sportster Custom	99-03	76-3031	7610-1539	•	•		•	•		12" shock lowers bike approx. 40mm
<b>Harley Davidson</b>	XL53C Sportster Custom-Extra heavy duty	99-03	76-3038	7610-1617	•	•		•	•		12" shock lowers bike approx. 40mm for riders or loads above 95kg
<b>Harley Davidson</b>	XLH883C Sportster Custom	99-03	76-3031	7610-1539	•	•		•	•		12" shock lowers bike approx. 40mm
<b>Harley Davidson</b>	XLH883C Sportster Custom-Extra heavy duty	99-03	76-3038	7610-1617	•	•		•	•		12" shock lowers bike approx. 40mm for riders or loads above 95kg
<b>Harley Davidson</b>	XL883C Sportster Custom	04-10	76-3039	7610-1622	•	•		•	•		
<b>Harley Davidson</b>	XLH883 Sportster Hugger	88-91	76-3023	7610-1513	•	•		•	•		
<b>Harley Davidson</b>	XLH883 Sportster Hugger	92-03	76-3031	7610-1539	•	•		•	•		12" shock lowers bike approx. 40mm

Make	Model	Year	Part numbers								Notes
			76 Series	36 / 3610 or 76 / 7610	7610-SP8	7610-SP14	7610-SP15	7610-SP16	7610-SP17	3214/ 7613/ 7614	
			Ikon Basix		Chrome body, spring and cap	Black body and spring	Chrome body, spring, cap and skirt	Black body, spring and cap	Chrome body and cap, black spring		
<b>Harley Davidson</b>	XLH883 Sportster Hugger	92-03	76-3038	7610-1617	•	•		•	•		12" shock lowers bike approx. 40mm for riders or loads above 95kg
<b>Harley Davidson</b>	XL883 C&L	07-11	76-3039	7610-1622	•	•		•	•		Standard unit is 292mm. The Ikon unit 295mm and may lift the rear fractionally.
<b>Harley Davidson</b>	XL883L Super Low (oe seat height approx 695mm)	12-15	76-3039	7610-1622	•	•		•	•		
<b>Harley Davidson</b>	XL883N Iron (USA)	10-14	76-3039	7610-1622	•	•		•	•		295mm
<b>Harley Davidson</b>	XL883N Iron (USA)	15		7610-1649	•	•		•	•		
<b>Harley Davidson</b>	XL883N Iron (Australia-Europe) (oe seat height approx 735mm)	10-14	76-3027	7610-1528	•	•		•	•		330mm
<b>Harley Davidson</b>	XL883R	06-15	76-3027	7610-1528	•	•		•	•		
<b>Harley Davidson</b>	XLH1200 Sportster	88-93	76-3024	7610-1517	•	•		•	•		
<b>Harley Davidson</b>	XLH1200 Sportster	88-93	76-3031	7610-1539	•	•		•	•		12" shock lowers bike approx. 40mm
<b>Harley Davidson</b>	XLH1200 Sportster	88-93	76-3038	7610-1617	•	•		•	•		
<b>Harley Davidson</b>	XLH1200 Sportster	94-03	76-3027	7610-1528	•	•		•	•		standard height. 7610-1601/SP8 is for heavier duty applications. eg regular loads above 95kg.
<b>Harley Davidson</b>	XLH1200 Sportster	94-03	76-3035	7610-1601	•	•		•	•	7614-1601	
<b>Harley Davidson</b>	XLH1200 Sportster	94-03	76-3031	7610-1539	•	•		•	•		12" shock lowers bike approx. 25mm
<b>Harley Davidson</b>	XLH1200 Sportster	94-03	76-3038	7610-1617	•	•		•	•		

Make	Model	Year	Part numbers								Notes
			76 Series	36 / 3610 or 76 / 7610	7610-SP8	7610-SP14	7610-SP15	7610-SP16	7610-SP17	3214/ 7613/ 7614	
			Ikon Basix		Chrome body, spring and cap	Black body and spring	Chrome body, spring, cap and skirt	Black body, spring and cap	Chrome body and cap, black spring		
<b>Harley Davidson</b>	XL1200S Sportster Sport	96-03	76-3024	7610-1517	•	•		•	•		standard height
<b>Harley Davidson</b>	XL1200S Sportster Sport	96-03	76-3031	7610-1539	•	•		•	•		lowers bike approx. 40mm
<b>Harley Davidson</b>	XL1200C Sportster Custom	96-03	76-3031	7610-1539	•	•		•	•		7610-1617SP8 has a stronger spring fitted
<b>Harley Davidson</b>	XL1200C Sportster Custom	96-03	76-3038	7610-1617	•	•		•	•		Stronger springs fitted for heavier duty application such as loads above 95kg.
<b>Harley Davidson</b>	XL1200C Sportster Custom (oe seat height 710mm)	04-15	76-3039	7610-1622	•	•		•	•		Standard unitis 292mm.The Ikon unit 295mm and may lift the rear fractionally.
<b>Harley Davidson</b>	XL1200C CA and CB Sportster Custom	13	76-3039	7610-1622	•	•		•	•		Standard unitis 292mm.The Ikon unit 295mm and may lift the rear fractionally.
<b>Harley Davidson</b>	XL1200C ANV, Anniverary	13	76-3039	7610-1622	•	•		•	•		Standard unitis 292mm.The Ikon unit 295mm and may lift the rear fractionally.
<b>Harley Davidson</b>	XL1200 L	07-11	76-3039	7610-1622	•	•		•	•		Standard unitis 292mm.The Ikon unit 295mm and may lift the rear fractionally.
<b>Harley Davidson</b>	XL1200N Nightster	07-12*		7610-1649	•	•		•	•		*2009-2012 models in Australia have a 13.25" (335mm) shock as original. For those models can use 7610-1528 or any other of the common Harley units such as 7610-1513, 7610-1539 or their heavier duty equivalents.
<b>Harley Davidson</b>	XL1200R Sportster Roadster	04-08	76-3027	7610-1528	•	•		•	•		standard height. 7610-1601/SP8 is for heavier duty applications. eg regular loads above 95kg.
<b>Harley Davidson</b>	XL1200R Sportster Roadster	04-08	76-3035	7610-1601	•	•		•	•	7614-1601	
<b>Harley Davidson</b>	XL1200 V Seventy-Two (oe seat height approx 710mm)	12-15	76-3039	7610-1622	•	•		•	•		Standard unitis 292mm.The Ikon unit 295mm and may lift the rear fractionally.
<b>Harley Davidson</b>	XL1200X 4T8 Forty-Eight (oe seat height approx 710mm)	12-15	76-3031	7610-1539	•	•		•	•		MODELS AS SOLD WITH 12" SHOCKS FITTED (eg Australia), 7610-1617/SP8/SP14 are for heavier loads comonly above 95kg.

Make	Model	Year	Part numbers								Notes
			76 Series	36 / 3610 or 76 / 7610	7610-SP8	7610-SP14	7610-SP15	7610-SP16	7610-SP17	3214/ 7613/ 7614	
			Ikon Basix		Chrome body, spring and cap	Black body and spring	Chrome body, spring, cap and skirt	Black body, spring and cap	Chrome body and cap, black spring		
<b>Harley Davidson</b>	XL1200X 4T8 Forty-Eight (oe seat height approx 710mm)	12-15	76-3038	7610-1617	•	•		•	•		
<b>Harley Davidson</b>	XL1200X 4T8 Forty-Eight	12-15		7610-1649	•	•		•	•		MODELS AS SOLD WITH 11" SHOCKS FITTED (eg USA)
<b>Harley Davidson</b>	XR1000	83-84	76-3023	7610-1513	•	•		•	•		
<b>Harley Davidson</b>	XR1200	08-10	76-3024	7610-1517	•	•		•	•		
<b>Harley Davidson</b>	Dyna										
<b>Harley Davidson</b>	FLD Switchback (oe seat height approx 695mm)	12-16	76-3030	7610-1535	•	•	•	•	•		
<b>Harley Davidson</b>	FXD 35	06-08	76-3045	7610-1527	•	•	•	•	•		standard height
<b>Harley Davidson</b>	FXD 35 - Lowered	06-08	76-3030	7610-1535	•	•	•	•	•		lowers bikes approx. 25mm
<b>Harley Davidson</b>	FXD/I 1340, 1450 & 1584 Dyna Super Glide	95-09	76-3045	7610-1527	•	•	•	•	•		standard height
<b>Harley Davidson</b>	FXD/I 1340, 1450 & 1584 Dyna Super Glide - Lowered	95-09	76-3030	7610-1535	•	•	•	•	•		lowers bikes approx. 25mm
<b>Harley Davidson</b>	FXDB1340 Dyna Glide Daytona	92-95	76-3030	7610-1535	•	•	•	•	•		
<b>Harley Davidson</b>	FXDB/11450 & 1584 Dyna Street Bob (oe seat height approx 680mm)	06-16	76-3030	7610-1535	•	•	•	•	•		
<b>Harley Davidson</b>	FXDC1340 Dyna Custom	91-92	76-3030	7610-1535	•	•	•	•	•		
<b>Harley Davidson</b>	FXDC/CI inc Dyna Super Glide Custom	95-09		7610-1527	•	•	•	•	•		standard height

Make	Model	Year	Part numbers								Notes
			76 Series	36 / 3610 or 76 / 7610	7610-SP8	7610-SP14	7610-SP15	7610-SP16	7610-SP17	3214/ 7613/ 7614	
			Ikon Basix		Chrome body, spring and cap	Black body and spring	Chrome body, spring, cap and skirt	Black body, spring and cap	Chrome body and cap, black spring		
<b>Harley Davidson</b>	FXDC/CI inc Dyna Super Glide Custom	95-09	76-3030	7610-1535	•	•	•	•	•		lowers bikes approx. 25mm
<b>Harley Davidson</b>	FXDC inc Dyna Super Glide Custom & Anniversary edition (oe seat approx height 710mm)	11-14	76-3030	7610-1535	•	•	•	•	•		
<b>Harley Davidson</b>	FXDF Dyna Fat Bob (oe seat height approx 690mm)	06-16	76-3030	7610-1535	•	•	•	•	•		
<b>Harley Davidson</b>	FXDL/I 1340 & 1450 Dyna Low Rider	93-00	76-3045	7610-1527	•	•	•	•	•		standard height
<b>Harley Davidson</b>	FXDL/I 1340 & 1450 Dyna Low Rider	93-00	76-3030	7610-1535	•	•	•	•	•		lowers bikes approx. 25mm
<b>Harley Davidson</b>	FXDL/I 1450 & 1584 Dyna Low Rider	01-09	76-3030	7610-1535	•	•	•	•	•		Harley model references end this model in 2009. Some parts suppliers continue to reference it through to 2012
<b>Harley Davidson</b>	FXDL	14-16	76-3030	7610-1535	•	•	•	•	•		Model re-introduced in May 2014
<b>Harley Davidson</b>	FXDS/C 1340 & 1450 Dyna Convertible	94-00	76-3045	7610-1527	•	•	•	•	•		lowers bikes approx. 10mm
<b>Harley Davidson</b>	FXDS/C 1340 & 1450 Dyna Convertible - Lowered	94-00	76-3030	7610-1535	•	•	•	•	•		lowers bikes approx. 35mm
<b>Harley Davidson</b>	FXDWG/I 1340, 1450 & 1584 Dyna Wide Glide	93-08	76-3045	7610-1527	•	•	•	•	•		standard height
<b>Harley Davidson</b>	FXDWG/I 1340, 1450 & 1584 Dyna Wide Glide - Lowered	93-08	76-3030	7610-1535	•	•	•	•	•		lowersbikeapprox.25mm
<b>Harley Davidson</b>	FXDWG Dyna Wide Glide (oe seat height approx 680mm)	10-16	76-3030	7610-1535	•	•	•	•	•		Available from late 2009 this model has 49mm forks and lowered front and rear suspension as standard
<b>Harley Davidson</b>	FXDX 1450 Dyna Super Glide Sport	1999	76-3045	7610-1527	•	•	•	•	•		lowers bike approx.10mm

Make	Model	Year	Part numbers								Notes
			76 Series	36 / 3610 or 76 / 7610	7610-SP8	7610-SP14	7610-SP15	7610-SP16	7610-SP17	3214/ 7613/ 7614	
			Ikon Basix		Chrome body, spring and cap	Black body and spring	Chrome body, spring, cap and skirt	Black body, spring and cap	Chrome body and cap, black spring		
<b>Harley Davidson</b>	FXDX1450 Dyna Super Glide Sport	1999	76-3030	7610-1535	•	•	•	•	•		lowers bike approx. 35mm
<b>Harley Davidson</b>	FXDX/11450 Dyna Super Glide Sport	00-05		7610-1639	•	•		•	•		13" (330mm unit)
<b>Harley Davidson</b>	FXDXT1450 Dyna Super Glide T-Sport	01-05		7610-1639	•	•		•	•		13" (330mm unit)
<b>Harley Davidson</b>	All DYNA models 11" extra short shocks	92-16	76-3049	7610-1618	•	•	•	•	•		Fitting 11.5" units may require the reshaping of the rear guard to avoid damage from and of the brake caliper.
<b>Harley Davidson</b>	All DYNA models 11.5" extra short shocks	92-16		7610-1632	•	•		•	•		Fitting 11.5" units may require the reshaping of the rear guard to avoid damage from and of the brake caliper.
<b>Harley Davidson</b>	Electra Glides / Road Glides / Street Glides / Low Riders..."Baggers" - Road Kings										
<b>Harley Davidson</b>	FL/FLH/FXE 1200 (Shovel Head)	73-79		76-1402							use original spring
<b>Harley Davidson</b>	FXB / FXE / FXEF / FXS / FXWG	80-83		76-1402							
<b>Harley Davidson</b>	FLH1340 Electra Glide (Shovel Head)	74-84		76-1402							use original spring
<b>Harley Davidson</b>	FLH1340 Electra Glide Classic (Shovel Head)	80-84		76-1402							use original spring
<b>Harley Davidson</b>	FLHS1340 Electra Glide Sport-Ikon preferred shock for this bike	85-93	76-3029	7610-1531	•	•		•	•		11mm shorter than OE, but heavier spring
<b>Harley Davidson</b>	FLHS1340 Electra Glide Sport	85-93	76-3023	7610-1513	•	•		•	•		length as - 1531SP8, softer spring than it

Make	Model	Year	Part numbers								Notes
			76 Series	36 / 3610 or 76 / 7610	7610-SP8	7610-SP14	7610-SP15	7610-SP16	7610-SP17	3214/ 7613/ 7614	
			Ikon Basix		Chrome body, spring and cap	Black body and spring	Chrome body, spring, cap and skirt	Black body, spring and cap	Chrome body and cap, black spring		
<b>Harley Davidson</b>	FLHS1340 Electra Glide Sport	85-93	76-3027	7610-1528	•	•		•	•		standard length, spring rate for 1528SP8 is as per 1513SP8, spring rate for 1601SP8 is as per 1531SP8. 1601SP8 recommended for extra heavy duty needs with loads over 90kg most of the time.
<b>Harley Davidson</b>	FLHS1340 Electra Glide Sport	85-93	76-3035	7610-1601	•	•		•	•	7614-1601	
<b>Harley Davidson</b>	FLHT/I, FLHTC/I, FLHTCU/I 1340, 1450, 1580 & 1690- Ikon preferred shock for this bike = 12.5" shock, (Electra Glide Standard, Classic, Ultra Classic) (oe seat height approx 740mm)	80-14	76-3029	7610-1531	•	•		•	•		11mm shorter than OE, but heavier spring
<b>Harley Davidson</b>	FLHT/I, FLHTC/I, FLHTCU/I 1340, 1450, 1580 & 1690- Ikon shock for this bike similar to original length = 13" shock	80-14	76-3027	7610-1528	•	•		•	•		standard length, spring rate for 1528SP8 is as per 1513SP8, spring rate for 1601SP8 is as per 1531SP8. 1601SP8 recommended for extra heavy duty needs with loads over 90kg most of the time.
<b>Harley Davidson</b>	FLHT/I, FLHTC/I, FLHTCU/I 1340, 1450, 1580 & 1690- Extra heavy duty=13" shock	80-14	76-3035	7610-1601	•	•		•	•	7614-1601	standard length, spring rate for 1528SP8 is as per 1513SP8, spring rate for 1601SP8 is as per 1531SP8. 1601SP8 recommended for extra heavy duty needs with loads over 90kg most of the time.
<b>Harley Davidson</b>	FLHR/I, FLHRCI, FLHCI 1340, 1450, 1580- Ikon preferred shock for this bike = 12.5" shock, (Road King, Road King Classic)	94-16	76-3029	7610-1531	•	•		•	•		11mm shorter than OE, but heavier spring

Make	Model	Year	Part numbers								Notes
			76 Series	36 / 3610 or 76 / 7610	7610-SP8	7610-SP14	7610-SP15	7610-SP16	7610-SP17	3214/ 7613/ 7614	
			Ikon Basix		Chrome body, spring and cap	Black body and spring	Chrome body, spring, cap and skirt	Black body, spring and cap	Chrome body and cap, black spring		
<b>Harley Davidson</b>	FLHR/I, FLHRCI, FLHCI 1340, 1450, 1580- = 13" shock, (Road King, Road King Classic)	94-16	76-3027	7610-1528	•	•		•	•		standard length, spring rate for 1528SP8 is as per 1513SP8, spring rate for 1601SP8 is as per 1531SP8. 1601SP8 recommended for extra heavy duty needs with loads over 90kg most of the time.
<b>Harley Davidson</b>	FLHR/I, FLHRCI, FLHCI 1340, 1450, 1580 - Extra heavy duty = 13" shock, (Road King, Road King Classic)	94-16	76-3035	7610-1601	•	•		•	•	7614-1601	standard length, spring rate for 1528SP8 is as per 1513SP8, spring rate for 1601SP8 is as per 1531SP8. 1601SP8 recommended for extra heavy duty needs with loads over 90kg most of the time.
<b>Harley Davidson</b>	FLHRS/I1450 Road King Custom, FLHX 1580 Streetglide	94-15	76-3031	7610-1539	•	•		•	•		7610-1539SP8 for lighter applications
<b>Harley Davidson</b>	FLHRS/I1450 Road King Custom, FLHX 1580 Streetglide	94-15	76-3038	7610-1617	•	•		•	•		7610-1617SP8 has a stronger spring fitted and is the preferred specification
<b>Harley Davidson</b>	FLHTK Electra Glide Ultra Limited 103 cubic inch (1690cc) twin cam engine (oe seat height approx 740mm)	10-16	76-3035	7610-1601	•	•		•	•	7614-1601	
<b>Harley Davidson</b>	FLT all models	80-12	76-3029	7610-1531	•	•		•	•		11mm shorter than OE, but heavier spring
<b>Harley Davidson</b>	FLTRX Road Glide Custom (oe seat height approx 715mm)	10-16		7610-1617	•	•		•	•		1 "Lowered suspension standard on this model
<b>Harley Davidson</b>	FLTRXS	16		7610-1617	•	•		•	•		
<b>Harley Davidson</b>	FXB1340 Sturgis - (ShovelHead)	80-82		76-1402							use original spring
<b>Harley Davidson</b>	FXE1340 Fat Bob / Super Glide (Shovel Head)	80-84		76-1402							use original spring

Make	Model	Year	Part numbers								Notes
			76 Series	36 / 3610 or 76 / 7610	7610-SP8	7610-SP14	7610-SP15	7610-SP16	7610-SP17	3214/ 7613/ 7614	
			Ikon Basix		Chrome body, spring and cap	Black body and spring	Chrome body, spring, cap and skirt	Black body, spring and cap	Chrome body and cap, black spring		
<b>Harley Davidson</b>	FXLR1340 Low Rider Custom	87-94	76-3024	7610-1517	•	•		•	•		Longer than original shock.
<b>Harley Davidson</b>	FXLR1340 Low Rider Custom = 13"shock	87-94	76-3027	7610-1528	•	•		•	•		
<b>Harley Davidson</b>	FXLR1340 Low Rider Custom = 13" shock - extra heavy duty	87-94	76-3035	7610-1601	•	•		•	•	7614-1601	Same length as original shock. 7610-1601SP8 recommended for heavier duty use where riding loads exceed 90kg most of the time.
<b>Harley Davidson</b>	FXLR1340 Low Rider Custom approx 40mm Lowering	87-94	76-3031	7610-1539	•	•		•	•		lowers bike app. 40mm compared to 7610-1517SP8 and approx 25mm compared to 7610-1528SP8
<b>Harley Davidson</b>	FXR / FXRD / FXLR / FXRS	82-86	76-3023	7610-1513	•	•		•	•		
<b>Harley Davidson</b>	FXR1340 Super Glide - Ikon preferred shock for this bike	87-94	76-3029	7610-1531	•	•		•	•		11mm shorter than OE, but heavier spring
<b>Harley Davidson</b>	FXR1340 Super Glide	87-94	76-3023	7610-1513	•	•		•	•		length as - 1531SP8, softer spring than it
<b>Harley Davidson</b>	FXR1340 Super Glide	87-94	76-3027	7610-1528	•	•		•	•		standard length, spring rate for 1528SP8 is as per 1513SP8, spring rate for 1601SP8 is as per 1531SP8. 1601SP8 recommended for extra heavy duty needs with loads over 90kg most of the time.
<b>Harley Davidson</b>	FXR1340 Super Glide	87-94	76-3035	7610-1601	•	•		•	•	7614-1601	standard length, spring rate for 1528SP8 is as per 1513SP8, spring rate for 1601SP8 is as per 1531SP8. 1601SP8 recommended for extra heavy duty needs with loads over 90kg most of the time.
<b>Harley Davidson</b>	FXR1340 Super Glide	87-94		7610-1521	•	•		•	•		50mm shorter than OE, spring as above
<b>Harley Davidson</b>	FXR 2	99	76-3038	7610-1617	•	•		•	•		
<b>Harley Davidson</b>	FXRS1340 Low Rider - Ikon preferred shock for this bike	87-94	76-3029	7610-1531	•	•		•	•		11mm shorter than OE, but heavier spring

Make	Model	Year	Part numbers								Notes
			76 Series	36 / 3610 or 76 / 7610	7610-SP8	7610-SP14	7610-SP15	7610-SP16	7610-SP17	3214/ 7613/ 7614	
			Ikon Basix		Chrome body, spring and cap	Black body and spring	Chrome body, spring, cap and skirt	Black body, spring and cap	Chrome body and cap, black spring		
<b>Harley Davidson</b>	FXRS1340 Low Rider	87-94	76-3023	7610-1513	•	•		•	•		length as - 1531SP8, softer spring than it
<b>Harley Davidson</b>	FXRS1340 Low Rider = 12.5" shock	87-94	76-3027	7610-1528	•	•		•	•		standard length, spring rate for 1528SP8 is as per 1513SP8, spring rate for 1601SP8 is as per 1531SP8. 1601SP8 recommended for extra heavy duty needs with loads over 90kg most of the time.
<b>Harley Davidson</b>	FXRS1340 Low Rider = 13.0" shock	87-94	76-3035	7610-1601	•	•		•	•	7614-1601	standard length, spring rate for 1528SP8 is as per 1513SP8, spring rate for 1601SP8 is as per 1531SP8. 1601SP8 recommended for extra heavy duty needs with loads over 90kg most of the time.
<b>Harley Davidson</b>	FXRS1340 Low Rider	87-94		7610-1521	•	•		•	•		50mm shorter than OE, spring as above
<b>Harley Davidson</b>	FXRS1340 Low Rider Convertible	88-94	76-3024	7610-1517	•	•		•	•		approx. standard height
<b>Harley Davidson</b>	FXRS1340 Low Rider Convertible	88-94	76-3031	7610-1539	•	•		•	•		lowers bike approx. 40mm
<b>Harley Davidson</b>	FXRS-SP1340 Low Rider Sport Edition	87-94	76-3024	7610-1517	•	•		•	•		approx. standard height
<b>Harley Davidson</b>	FXRS-SP1340 Low Rider Sport Edition	87-94	76-3031	7610-1539	•	•		•	•		lowers bike approx. 40mm
<b>Harley Davidson</b>	FXRT	82-86	76-3027	7610-1528	•	•		•	•		standard length, spring rate for 1528SP8 is as per 1513SP8, spring rate for 1601SP8 is as per 1531SP8. 1601SP8 recommended for extra heavy duty needs with loads over 90kg most of the time.
<b>Harley Davidson</b>	FXRT	82-86	76-3035	7610-1601	•	•				7614-1601	standard length, spring rate for 1528SP8 is as per 1513SP8, spring rate for 1601SP8 is as per 1531SP8. 1601SP8 recommended for extra heavy duty needs with loads over 90kg most of the time.

Make	Model	Year	Part numbers								Notes
			76 Series	36 / 3610 or 76 / 7610	7610-SP8	7610-SP14	7610-SP15	7610-SP16	7610-SP17	3214/ 7613/ 7614	
			Ikon Basix		Chrome body, spring and cap	Black body and spring	Chrome body, spring, cap and skirt	Black body, spring and cap	Chrome body and cap, black spring		
<b>Harley Davidson</b>	FXRT 1340 Sport Glide - Ikon preferred shock for this bike	87-92	76-3029	7610-1531	•	•		•	•		11mm shorter than OE, but heavier spring
<b>Harley Davidson</b>	FXRT 1340 Sport Glide	87-92	76-3023	7610-1513	•	•		•	•		length as - 1531SP8, softer spring than it
<b>Harley Davidson</b>	FXRT 1340 Sport Glide	87-92	76-3027	7610-1528	•	•		•	•		standard length, spring rate for 1528SP8 is as per 1513SP8, spring rate for 1601SP8 is as per 1531SP8. 1601SP8 recommended for extra heavy duty needs with loads over 90kg most of the time.
<b>Harley Davidson</b>	FXRT 1340 Sport Glide	87-92	76-3035	7610-1601	•	•		•	•	7614-1601	standard length, spring rate for 1528SP8 is as per 1513SP8, spring rate for 1601SP8 is as per 1531SP8. 1601SP8 recommended for extra heavy duty needs with loads over 90kg most of the time.
<b>Harley Davidson</b>	FXRT 1340 Sport Glide	87-92		7610-1521	•	•		•	•		50mm shorter than OE, spring as above
<b>Harley Davidson</b>	FXS 1340 Low Rider	80-84		76-1402							use original spring
<b>Harley Davidson</b>	FXWG 1340 Wide Glide	80-84		76-1402							use original spring
<b>Harley Davidson</b>	V-Rod										
<b>Harley Davidson</b>	VRSA 1130	02-05	76-3035	7610-1601	•	•		•	•	7614-1601	It is possible to lower the V-rod using 7610-1617(SP8). Lowering by more than this may require alterations to other parts on the bike.
<b>Harley Davidson</b>	VRSB, VRSC, VRSCAW 1130, VRSCD (Night Rod), VRSCX	04-10	76-3035	7610-1601	•	•		•	•	7614-1601	It is possible to lower the V-rod using 7610-1617(SP8). Lowering by more than this may require alterations to other parts on the bike.
<b>Harley Davidson</b>	VRSCDX Night Rod Special (oe seat height approx 675mm)	07-16		7610-1645	•	•		•	•		

Make	Model	Year	Part numbers								Notes
			76 Series	36 / 3610 or 76 / 7610	7610- SP8	7610- SP14	7610- SP15	7610- SP16	7610- SP17	3214/ 7613/ 7614	
			Ikon Basix		Chrome body, spring and cap	Black body and spring	Chrome body, spring, cap and skirt	Black body, spring and cap	Chrome body and cap, black spring		
<b>Harley Davidson</b>	VRSCR	06-07		7610-1620	•	•					
<b>Harley Davidson</b>	VRSCF Night Rod Muscle (oe seat height approx 705mm)	09-16		7610-1675	•	•		•	•		
<b>Harley Davidson</b>											
<b>Harley Davidson</b>	Street										
<b>Harley Davidson</b>	XG 500	15-	76-3013	7610-1418	•	•		•	•		
<b>Harley Davidson</b>	XG 750	15-	76-3013	7610-1418	•	•		•	•		
<b>Harley Davidson</b>											
<b>Harley Davidson</b>	Springer front suspension										
<b>Harley Davidson</b>	Various models with 234mm long shock fully open.			76-1702							
<b>Honda</b>	CR 80 R	80-81	76-3000	7610-1250SP4							
<b>Honda</b>	XR 80	79-81	76-3000	7610-1250SP4							
<b>Honda</b>	CT 110			76-1461							
<b>Honda</b>	CA 125 Rebel	95-98		7610-1530	•						
<b>Honda</b>	CB 125 N / S	76-80		7610-1419							
<b>Honda</b>	CB 125 T	78-86		7610-1419							
<b>Honda</b>	CG 125	80-84		7610-1419							
<b>Honda</b>	CM 125 / C	80-86		7610-1419							

Make	Model	Year	Part numbers								Notes
			76 Series	36 / 3610 or 76 / 7610	7610- SP8	7610- SP14	7610- SP15	7610- SP16	7610- SP17	3214/ 7613/ 7614	
			Ikon Basix		Chrome body, spring and cap	Black body and spring	Chrome body, spring, cap and skirt	Black body, spring and cap	Chrome body and cap, black spring		
<b>Honda</b>	CT125	81		7610-1905 + spring 220- 15/21/26							365mm open 10mm x 20mm eX top & bottom. Check fitting clearances.
<b>Honda</b>	SH150	03-12		7610-1613							
<b>Honda</b>	SH150 (w/- ABS)	2013-	76-4010								
<b>Honda</b>	XL185S	'78-82		76-1707						3214-2015	
<b>Honda</b>	CM 200T	81-86		7610-1419							
<b>Honda</b>	CT 200		76-3014	76-1462 7610-1422*							*plus 3 sleeves 70-52-11-367-0 (per pair)
<b>Honda</b>	CB250, CJ250	66-76	76-4002	7610-1302	•	•		•			
<b>Honda</b>	CB250T	77-79		76-1408							
<b>Honda</b>	CB250N	79-85		76-1408							
<b>Honda</b>	CB250 Two Fifty	92-05		76-1472							
<b>Honda</b>	CB250RS	83		76-1472							
<b>Honda</b>	CBX250RS, GB250 Clubman	85-98	76-3017	7610-1429SP1							
<b>Honda</b>	CD250U	88-93	76-3017	7610-1429SP1							
<b>Honda</b>	CM250C	82-86		7610-1419							
<b>Honda</b>	CMX250 Rebel	96-04		7610-1530	•						
<b>Honda</b>	SH250 Scooter			7610-1613							
<b>Honda</b>	VT250 (Custom/Cruiser)	94-02		7610-1646	•						
<b>Honda</b>	XL250S	'78-82		76-1707						3214-2015	
<b>Honda</b>	XL250S Degree	95		3610-1054							
<b>Honda</b>	XR-250	79-80								3214-2012	
<b>Honda</b>	SH300i Scooter	2007		7610-1640							
<b>Honda</b>	CB77, 305cc	64 on	76-4002	7610-1302	•	•		•			
<b>Honda</b>	CB350 / CJ350T	66-76	76-4002	7610-1302	•	•		•			
<b>Honda</b>	CB350F	73-75	76-4002	7610-1302	•	•		•			
<b>Honda</b>	CL350, Scambler	70-73	76-4002	7610-1302	•	•		•			
<b>Honda</b>	CB360	73-78	76-4002	7610-1302	•	•		•			

Make	Model	Year	Part numbers								Notes
			76 Series	36 / 3610 or 76 / 7610	7610- SP8	7610- SP14	7610- SP15	7610- SP16	7610- SP17	3214/ 7613/ 7614	
			Ikon Basix		Chrome body, spring and cap	Black body and spring	Chrome body, spring, cap and skirt	Black body, spring and cap	Chrome body and cap, black spring		
<b>Honda</b>	CL360,Scrambler	74	76-4002	7610-1302	•	•		•			
<b>Honda</b>	CB400T / AT	77-85		76-1408							
<b>Honda</b>	CB400F	74-79	76-4002	7610-1302	•	•		•			
<b>Honda</b>	CB400N	79-85		76-1408							
<b>Honda</b>	CB400 Super Four	93-96		7610-1512							
<b>Honda</b>	CB400 V-tec	00-12	76-3037	7610-1604	•	•		•		3214-1604	
<b>Honda</b>	CB400 inc Bol D'or	08-14	76-3037	7610-1604	•	•		•		3214-1604	
<b>Honda</b>	CB400SS, CL400	98-	76-3009	7610-1348	•	•		•			
<b>Honda</b>	CM400 A / T / TZ	79-86	76-4002	7610-1302	•	•		•			
<b>Honda</b>	CX400 / C	81-83		7610-1412							
<b>Honda</b>	GB400 Clubman (Tourist Trophy)	85-92	76-3022	7610-1511	•	•		•			
<b>Honda</b>	Silverwing 400			7610-1656							
<b>Honda</b>	XL400S	'78-82		76-1707						3214-2015	
<b>Honda</b>	CB450	66-76	76-4002	7610-1302	•	•		•			
<b>Honda</b>	CB450N	84-87		76-1408							
<b>Honda</b>	CB450S	86-90		7610-1512							
<b>Honda</b>	CB500	93-00		7610-1534							
<b>Honda</b>	CB500 F / T	71-78	76-4002	7610-1302	•	•		•			
<b>Honda</b>	CX500 / C	78-86		7610-1412							
<b>Honda</b>	FT500	82-89		7610-1502							
<b>Honda</b>	GB500	89-90	76-3022	7610-1511	•	•		•			
<b>Honda</b>	GB500 Clubman (Tourist Trophy)	91-93	76-3022	7610-1511	•	•		•			
<b>Honda</b>	VT500 Custom	83-89		7610-1505	•						
<b>Honda</b>	VT500E / Custom	83-89		7610-1505	•						
<b>Honda</b>	XBR500S	85-90	76-3022	7610-1511	•	•		•			
<b>Honda</b>	XL500S	'78-82		76-1707						3214-2015	
<b>Honda</b>	CB550F/K	74-79	76-4002	7610-1302	•	•		•			

Make	Model	Year	Part numbers								Notes
			76 Series	36 / 3610 or 76 / 7610	7610-SP8	7610-SP14	7610-SP15	7610-SP16	7610-SP17	3214/ 7613/ 7614	
			Ikon Basix		Chrome body, spring and cap	Black body and spring	Chrome body, spring, cap and skirt	Black body, spring and cap	Chrome body and cap, black spring		
<b>Honda</b>	CBF600F/S	04-10		3610-1019							
<b>Honda</b>	CBR600F(PC31)	97-98		3610-1012							
<b>Honda</b>	CBR600F(PC25)	91-96		3610-1012							
<b>Honda</b>	CBR600F(PC19)	87-90		3610-1013							
<b>Honda</b>	600 Silverwing			7610-1656							
<b>Honda</b>	CB650/C	79-84	76-4001	7610-1296	•	•		•		7614-1296	
<b>Honda</b>	CBX650E Nighthawk	83-89		7610-1283SP4							
<b>Honda</b>	CX650C (RC11)	83 on		7610-1412							Check clearances
<b>Honda</b>	NX650	95		3610-1086							
<b>Honda</b>	VF700 Super Magna (RC21)	82-87		7610-1502							
<b>Honda</b>	Shadow, Shadow RS and Phantom, 745cc	12-15		7610-1652	•	•		•	•		285mm open length, Bushes: 16mm top, 10mm and 14mm bottom.
<b>Honda</b>	750 Nighthawk	91-03		7610-1512							
<b>Honda</b>	CB750C	81-84	76-4001	7610-1296	•	•		•		7614-1296	
<b>Honda</b>	CB750F	69-79	76-4001	7610-1296	•	•		•		7614-1296	
<b>Honda</b>	CB750K	69-80	76-4001	7610-1296	•	•		•		7614-1296	
<b>Honda</b>	CB750 F1/ F2	76-80	76-4001	7610-1296	•	•		•		7614-1296	
<b>Honda</b>	CB750 FA, FB, FC, FD	80-84	76-4004	7610-1413	•	•		•		7614-1413	
<b>Honda</b>	CB750KZ,	79-84	76-4004	7610-1413	•	•		•		7614-1413	
<b>Honda</b>	CB750F2 Seven Fifty	92-99		7610-1537	•	•		•			
<b>Honda</b>	Shadow A.C.E. 750	98-03	76-3019	7610-1504	•	•		•			
<b>Honda</b>	Shadow Aero 750	2004		7610-1652	•	•		•			Original unit 285mm open length.
<b>Honda</b>	Shadow Spirit 750	01-03		7610-1606	•	•		•			
<b>Honda</b>	VF750C / Super Magna (RC09)	82-87		7610-1502							
<b>Honda</b>	VF750 (Super) Magna (RC28 - Shaftdrive)	88-93	76-3026	7610-1526							7610-1505 for heavier duty use. Eg loads over 90kg or 2 up riding more than 50% of the time
<b>Honda</b>	VF750 (Super) Magna (RC28 - Shaft drive) - Extra heavy duty	88-93		7610-1505							7610-1505 for heavier duty use. Eg loads over 90kg or 2 up riding more than 50% of the time

Make	Model	Year	Part numbers								Notes
			76 Series	36 / 3610 or 76 / 7610	7610- SP8	7610- SP14	7610- SP15	7610- SP16	7610- SP17	3214/ 7613/ 7614	
			Ikon Basix		Chrome body, spring and cap	Black body and spring	Chrome body, spring, cap and skirt	Black body, spring and cap	Chrome body and cap, black spring		
<b>Honda</b>	VF750C (RC43 - Chain drive) Magna	93-03	76-3019	7610-1504	●	●		●			
<b>Honda</b>	VT750 Shadow Aero	2004		7610-1652	●	●		●	●		285mm open length, Bushes: 16mm top, 10mm and 14mm bottom.
<b>Honda</b>	VT750 Shadow Spirit	03-06		7610-1606							OEM unit said to be 308mm
<b>Honda</b>	VT750C	83-85	76-3019	7610-1504	●	●		●			
<b>Honda</b>	VT750C / C2 / CD Shadow, ACE	97-03	76-3019	7610-1504	●	●		●			
<b>Honda</b>	VT750DC Black Widow	01-04		7610-1606	●	●		●			
<b>Honda</b>	VT750 C4			7610-1652	●	●		●	●		285mm open length, Bushes: 16mm top, 10mm and 14mm bottom.
<b>Honda</b>	VT750 C2 Fuel njected.	07-14		7610-1652	●	●		●	●		285mm open length, Bushes: 16mm top, 10mm and 14mm bottom.
<b>Honda</b>	VT750S	10-13	76-3019	7610-1504	●	●		●	●		Original units have an appearance approximated by our 7610-SP17
<b>Honda</b>	XLV750	85-86		3610-1040							
<b>Honda</b>	PC800 Pacific Coast	89-98	76-3014	7610-1422	●	●		●			
<b>Honda</b>	CB900 inc Bol d'Or	79-84	76-4004	7610-1413	●	●		●		7614-1413	
<b>Honda</b>	CB900 Hornet, SC48	02-08		3610-1075							
<b>Honda</b>	CBX1000 (twin shock models)	78-81	76-4004	7610-1413	●	●		●		7614-1413	
<b>Honda</b>	CB1000 Big1 SC30	92-98	76-3025	7610-1523	●	●		●			normal loads
<b>Honda</b>	CB1000 Big1 SC30	92-98	76-3034	7610-1600	●	●		●			heavier loads
<b>Honda</b>	GL1000 Gold Wing	75-81	76-4001	7610-1296	●	●		●		7614-1296	
<b>Honda</b>	VTR1000	98		3610-1034							
<b>Honda</b>	CB1100R	81-84	76-4004	7610-1413	●	●		●		7614-1413	
<b>Honda</b>	CB1100F	82-85	76-4004	7610-1413	●	●		●		7614-1413	
<b>Honda</b>	CB1100	10-15	76-3021	7610-1507	●	●		●		7614-1507, 3214-1507	
<b>Honda</b>	CBR1100XX (SC35)	96-08		3610-1101							

Make	Model	Year	Part numbers								Notes
			76 Series	36 / 3610 or 76 / 7610	7610- SP8	7610- SP14	7610- SP15	7610- SP16	7610- SP17	3214/ 7613/ 7614	
			Ikon Basix		Chrome body, spring and cap	Black body and spring	Chrome body, spring, cap and skirt	Black body, spring and cap	Chrome body and cap, black spring		
<b>Honda</b>	GL1100DX	80-84		7610-1434							
<b>Honda</b>	GL1100 Gold Wing	80-84		7610-1434							
<b>Honda</b>	GL1100STD	80-84		7610-1434							
<b>Honda</b>	V65 Magna (1100cc)	83-86	76-3021	7610-1507	•	•		•		7614-1507	
<b>Honda</b>	ST1100	90-03		3610-1010							For Police bike models bottom bolt is 14mm. Special bottom mounting pieces need to be ordered separately. Shock to be fitted upside down if top clearance is a problem.
<b>Honda</b>	VF1100C	83-86	76-3021	7610-1507	•	•		•		7614-1507	
<b>Honda</b>	VT1100C Shadow (1086cc USA version)	85-88	76-3019	7610-1504	•	•		•			
<b>Honda</b>	VT1100C Shadow (1099cc)	89-95		7610-1533	•						
<b>Honda</b>	VT1100C Shadow A.C.E. / Spirit / Sabre- NOT Aero models	95-06		7610-1533	•						
<b>Honda</b>	GL1200	84-87		7610-1659							For heavier applications special version required with 515 springs
<b>Honda</b>	CB1300, CB1300 Super Four, Super Bol D'or, Super Touring	03-14	76-3021	7610-1507	•	•		•	•	7614-1507, 3214-1507	Bushes 14mm x 20mm top, 10mm x 20mm bottom.
<b>Honda</b>	ST1300	03-		3610-1082							
<b>Honda</b>	VTX1300S Retro (USA only)	2003		7610-1533	•						lowers bike approx. 13mm
<b>Honda</b>	VTX1300	02-08		7610-1642	•						
<b>Honda</b>	GL1500 Goldwing	88-00									345mm long shock, 607 or 515 spring, 110 bush top and 108 bush bottom. Some may have 14 mm top. In which case add 736 sleeves. Work with 7610-1318. The original set upon this bike had an air shock on one side and a steel sprung shock on the other. Using Ikon's on these models removes the air adjustability.

Make	Model	Year	Part numbers								Notes
			76 Series	36 / 3610 or 76 / 7610	7610-SP8	7610-SP14	7610-SP15	7610-SP16	7610-SP17	3214/ 7613/ 7614	
			Ikon Basix		Chrome body, spring and cap	Black body and spring	Chrome body, spring, cap and skirt	Black body, spring and cap	Chrome body and cap, black spring		
<b>Honda</b>	GL1500(F6C) C/D/T, Valkyrie, ValkyrieTourer	96-03	76-3032	7610-1542	•	•		•		7614-1542	
<b>Honda</b>	GL1500CF Valkyrie Interstate	99-01	76-3032	7610-1542	•	•		•		7614-1542	
<b>Honda</b>	VTX1800C, N, R, S, T	02-04		7610-1605	•						
<b>Honda</b>	VTX1800C, F	05-08		7610-1605	•						CHECK TOP MOUNTING BOLT DIAMETER. May require 26 x 19mm bronze bush.
<b>Hyosung</b>	GT250	03-12		3610-1077							
<b>Hyosung</b>	Aquila GV250	05-12	76-3022	7610-1511	•	•		•			OE shock 320mm long, 12mm bolts. 4x7052114270 sleeves to be ordered separately
<b>Hyosung</b>	GT650S	03-12		3610-1031							
<b>Hyosung</b>	Aquila GV650	05-15	76-3041	7610-1634	•	•		•			
<b>Hyosung</b>	Aquila GV700 ST7	05-15	76-3041	7610-1634	•	•		•			
<b>Indian</b>	Scout	2014-		7610-1674	•	•		•	•	7614-1674	
<b>Jawa</b>	250	75-90	76-3001	7610-1250SP5							
<b>Jawa</b>	350 Blue Style / TS	75-94	76-3001	7610-1250SP5							
<b>Jawa</b>	500	75-90	76-3001	7610-1250SP5							
<b>Kawasaki</b>	KX60	98-04								7613-1004	mini bike mono shock
<b>Kawasaki</b>	Mach III H1 / H1A-H1F(500cc)	69-75		7610-1525	•	•		•	•		
<b>Kawasaki</b>	S-1/S-2/S-3/H-2/H2B	72-75	76-3010	7610-1348SP1							2 x 70 52 11 427 0 per pair required. Applies to all options
<b>Kawasaki</b>	S-1/S-2/S-3/H-2/H2B - heavier springs for general use.	72-75	76-3009	7610-1348	•	•		•	•		2 x 70 52 11 427 0 per pair required. Applies to all options
<b>Kawasaki</b>	Z200	77-81		7610-1525	•	•		•	•		
<b>Kawasaki</b>	A1 250	67-71		7610-1525	•	•		•	•		
<b>Kawasaki</b>	BR250	86	76-3006	7610-1307	•	•		•	•		
<b>Kawasaki</b>	Estrella, EstrellaRS(250cc) (BJ250)	92-02	76-3006	7610-1307	•	•		•	•		
<b>Kawasaki</b>	Estrella Custom (250cc) / 250TR	00-02	76-3006	7610-1307	•	•		•	•		
<b>Kawasaki</b>	EL250, EL250 Eliminator	88-95	76-3006	7610-1307	•	•		•	•		

Make	Model	Year	Part numbers								Notes
			76 Series	36 / 3610 or 76 / 7610	7610-SP8	7610-SP14	7610-SP15	7610-SP16	7610-SP17	3214/ 7613/ 7614	
			Ikon Basix		Chrome body, spring and cap	Black body and spring	Chrome body, spring, cap and skirt	Black body, spring and cap	Chrome body and cap, black spring		
<b>Kawasaki</b>	Eliminator250(EL250),VN250	96-04	76-3006	7610-1307	•	•		•	•		
<b>Kawasaki</b>	KH250	76-79		7610-1525	•	•		•	•		
<b>Kawasaki</b>	KL250 Stockman	08		3610-1052							
<b>Kawasaki</b>	Z250	79-83	76-3009	7610-1348	•	•		•	•		see entry below also
<b>Kawasaki</b>	Z250	83-85	76-3017	7610-1429SP1							has off-set bottom eye (& is a little longer)
<b>Kawasaki</b>	Z250LTD	80-81		7610-1525	•	•		•	•		
<b>Kawasaki</b>	Z250LTD	82-84	76-3017	7610-1429SP1							
<b>Kawasaki</b>	ZL250 Eliminator	87-98		7610-1525*	•	•		•	•		*to be confirmed
<b>Kawasaki</b>	ZX2R			36-1004							
<b>Kawasaki</b>	EL252, EL252 Eliminator	96-03		7610-1525*	•	•		•	•		*to be confirmed
<b>Kawasaki</b>	305LTD	87-89	76-3009	7610-1348	•	•		•	•		
<b>Kawasaki</b>	Z305 CSR	84-88	76-3009	7610-1348	•	•		•	•		
<b>Kawasaki</b>	A7 350	67-71		7610-1525	•	•		•	•		
<b>Kawasaki</b>	KH400	76-79		7610-1525	•	•		•	•		
<b>Kawasaki</b>	Z400	76-80	76-3009	7610-1348	•	•		•	•		
<b>Kawasaki</b>	Z400G	81-84	76-3017	7610-1429SP1							
<b>Kawasaki</b>	Z400J	80-85		7610-1343SP1							
<b>Kawasaki</b>	Z400	85-88	76-3009	7610-1348	•	•		•	•		
<b>Kawasaki</b>	Z400LTD	81-84	76-3017	7610-1429SP1							
<b>Kawasaki</b>	Zephyr 400	91-95		7610-1343SP1*							*to be confirmed
<b>Kawasaki</b>	Z440	80-81	76-3009	7610-1348	•	•		•	•		
<b>Kawasaki</b>	Z440LTD	80-81	76-3009	7610-1348	•	•		•	•		
<b>Kawasaki</b>	Z440LTD	82-84	76-3017	7610-1429SP1							
<b>Kawasaki</b>	Z440LTD	85-88	76-3009	7610-1348	•	•		•	•		
<b>Kawasaki</b>	Z440Twin	82-84	76-3017	7610-1429SP1							
<b>Kawasaki</b>	Z440Twin	85-88	76-3009	7610-1348	•	•		•	•		
<b>Kawasaki</b>	Z450LTD,LTD450(EN450A1-A5)	85-89	76-3009	7610-1348	•	•		•	•		
<b>Kawasaki</b>	454 LTD	84-90	76-3009	7610-1348	•	•		•	•		

Make	Model	Year	Part numbers								Notes
			76 Series	36 / 3610 or 76 / 7610	7610-SP8	7610-SP14	7610-SP15	7610-SP16	7610-SP17	3214/ 7613/ 7614	
			Ikon Basix		Chrome body, spring and cap	Black body and spring	Chrome body, spring, cap and skirt	Black body, spring and cap	Chrome body and cap, black spring		
<b>Kawasaki</b>	Mach III H1/ H1A-H1F (500cc)	69-75		7610-1525	•	•		•	•		
<b>Kawasaki</b>	ER-5 (500cc) (ER500 A1-A4)	97-00	76-3033	7610-1551							
<b>Kawasaki</b>	ER-5 (500cc) (ER500 C1-C4)	01-05	76-3025	7610-1523	•	•		•	•		
<b>Kawasaki</b>	EN500 Vulcan	90-95	76-3006	7610-1307							standard height, standard shock
<b>Kawasaki</b>	EN500 Vulcan	90-95		7610-1530	•						lowers bike approx. 25mm
<b>Kawasaki</b>	EN500 Vulcan (C1-C8), Vulcan 500 LTD	96-04	76-3020	7610-1506	•	•		•	•		
<b>Kawasaki</b>	KH500	76-79		7610-1525	•	•		•	•		
<b>Kawasaki</b>	Z500	79-85		7610-1343SP1							
<b>Kawasaki</b>	GT550 (Z550G)	82-89	76-3009	7610-1348	•	•		•	•		
<b>Kawasaki</b>	GT550 (Z550G)	90-01	76-3009	7610-1348*	•	•		•	•		*to be confirmed
<b>Kawasaki</b>	Z550LTD	80-84	76-3017	7610-1429SP1							
<b>Kawasaki</b>	Z550 (GP)	80-85		7610-1343SP1							
<b>Kawasaki</b>	Zephyr 550 (ZR550 B2 - B8)	91-99	76-3025	7610-1523	•	•		•	•		
<b>Kawasaki</b>	ZL600	86-89	76-3017	7610-1429SP1							
<b>Kawasaki</b>	ZL600 Eliminator, Eliminator 600	95-97	76-3009	7610-1348	•	•		•	•		standard height, standard shock
<b>Kawasaki</b>	ZL600 Eliminator, Eliminator 600	95-97	76-3009	7610-1348	•	•		•	•		standard height
<b>Kawasaki</b>	ZL600 Eliminator, Eliminator 600	95-97		7610-1532	•	•		•	•		lowers bike approx. 35mm
<b>Kawasaki</b>	ZZR 600 (ZX6)	93-99		3610-1001							
<b>Kawasaki</b>	KLR650	98		3610-1070							
<b>Kawasaki</b>	KLR650	08-12		3610-1039							
<b>Kawasaki</b>	KLX650			3610-1051							
<b>Kawasaki</b>	SR650	80-84	76-3017	7610-1429SP1							
<b>Kawasaki</b>	W650 (EJ650)	99-04	76-3036	7610-1603	•	•		•	•		
<b>Kawasaki</b>	W650	99-04		7610-1628	•	•		•	•		273mm unit for Japanese lowered applications.
<b>Kawasaki</b>	Z650B, C, D and SR	76-81	76-3009	7610-1348	•	•		•	•		

Make	Model	Year	Part numbers								Notes
			76 Series	36 / 3610 or 76 / 7610	7610-SP8	7610-SP14	7610-SP15	7610-SP16	7610-SP17	3214/ 7613/ 7614	
			Ikon Basix		Chrome body, spring and cap	Black body and spring	Chrome body, spring, cap and skirt	Black body, spring and cap	Chrome body and cap, black spring		
<b>Kawasaki</b>	Z650E,F / SP, H	80-84	76-3017	7610-1429SP1							
<b>Kawasaki</b>	GT750 (Z750 P1-P9)	82-96	76-3009	7610-1348	•	•		•	•		
<b>Kawasaki</b>	VN750 Vulcan, Vulcan750	85-04	76-3009	7610-1348*	•	•		•	•		*to be confirmed
<b>Kawasaki</b>	Z750 (2 cylinder)	76-80	76-3009	7610-1348	•	•		•	•		
<b>Kawasaki</b>	Z750	80-87	76-3016	7610-1429	•	•		•	•		
<b>Kawasaki</b>	Z750 E/L	80-85	76-3016	7610-1429	•	•		•	•		
<b>Kawasaki</b>	Z750 LTD	80-86	76-3016	7610-1429	•	•		•	•		
<b>Kawasaki</b>	Z750GP (R)	82-86		7610-1343SP1							
<b>Kawasaki</b>	Z750 Spectre, KZ750 N1 / N2 Spectre	82-83	76-3009	7610-1348	•	•		•	•		
<b>Kawasaki</b>	Z750 Sport	82-88		7610-1343SP1							
<b>Kawasaki</b>	Z750 L4	85-87	76-3050	7610-1343	•	•		•	•		
<b>Kawasaki</b>	Zephyr 750 (ZR750)	91-99	76-3025	7610-1523	•	•		•	•		
<b>Kawasaki</b>	Zephyr 750 (Japan)	97-03	76-3025	7610-1523*	•	•		•	•		*to be confirmed
<b>Kawasaki</b>	W800	11-15	76-3036	7610-1603	•	•		•	•		
<b>Kawasaki</b>	Z900 (Z1)	73-76	76-3050	7610-1343	•	•		•	•		
<b>Kawasaki</b>	900 LTD	76-80	76-3016	7610-1429	•	•		•	•		337mm open. Stock length 343mm
<b>Kawasaki</b>	Z900 Eliminator	87-88	76-3016	7610-1429	•	•		•	•		
<b>Kawasaki</b>	ZL900 Eliminator	85-86	76-3016	7610-1429*	•	•		•	•		*to be confirmed
<b>Kawasaki</b>	ZL900	87-89	76-3016	7610-1429	•	•		•	•		
<b>Kawasaki</b>	GTR1000	86-99		3610-1091							
<b>Kawasaki</b>	ZL1000, ZL1000 Eliminator	87-89	76-3016	7610-1429*	•						*to be confirmed
<b>Kawasaki</b>	Z1000 all models	77-86	76-3050	7610-1343	•	•		•	•		
<b>Kawasaki</b>	Z1100 except LTD and Spectre	80-86	76-3050	7610-1343	•	•		•	•		
<b>Kawasaki</b>	GPZ1100 (ZX1100A1)	80-86	76-3050	7610-1343	•	•		•	•		
<b>Kawasaki</b>	GPZ1100 (ZX10E)	94-98		3610-1011							
<b>Kawasaki</b>	Z1100 LTD	83-84	76-3016	7610-1429	•	•		•	•		
<b>Kawasaki</b>	Z1100 Spectre	82-87	76-3016	7610-1429	•	•		•	•		

Make	Model	Year	Part numbers								Notes
			76 Series	36 / 3610 or 76 / 7610	7610-SP8	7610-SP14	7610-SP15	7610-SP16	7610-SP17	3214/ 7613/ 7614	
			Ikon Basix		Chrome body, spring and cap	Black body and spring	Chrome body, spring, cap and skirt	Black body, spring and cap	Chrome body and cap, black spring		
<b>Kawasaki</b>	Zephyr 1100 (ZR1100)	92-97	76-3025	7610-1523	•	•		•	•		normal loads
<b>Kawasaki</b>	Zephyr 1100 (ZR1100)	92-97	76-3034	7610-1600							heavier loads (cases etc.)
<b>Kawasaki</b>	Zephyr 1100 (Japan)	97-03	76-3025	7610-1523*	•	•		•	•		normal loads *to be confirmed
<b>Kawasaki</b>	Zephyr 1100 (Japan)	97-03	76-3034	7610-1600*							heavier loads (cases etc.) *tbc
<b>Kawasaki</b>	ZRX1100 (ZR1100 C1-C4)	97-00	76-3021	7610-1507	•	•		•	•	7614-1507, 3214-1507	
<b>Kawasaki</b>	ZZR1100 C models	90-92		3610-1089							
<b>Kawasaki</b>	ZZR1100 D models	92-01		3610-1085							
<b>Kawasaki</b>	ZRX1200, ZRX1200R/S (ZR1200A/B)	01-08	76-3021	7610-1507	•	•		•	•	7614-1507, 3214-1507	
<b>Kawasaki</b>	Z1300	78-89	76-3014	7610-1422	•	•		•	•		
<b>Kawasaki</b>	ZN1300 Voyager	1983	76-3032	7610-1542	•	•		•	•		
<b>Kawasaki</b>	VN1500 (Vulcan88, 1500L, VN15/SE)	88-98		7610-1434	•						standard height
<b>Kawasaki</b>	VN1500 (Vulcan 88, 1500L, VN15/SE)	88-98		7610-1532	•	•		•	•		lowers bike approx. 25mm
<b>Kawasaki</b>	VN1500 Vulcan Classic, incl. Fi	96-08	76-3032	7610-1542	•	•		•	•		
<b>Kawasaki</b>	VN1500 Vulcan Classic Tourer, incl. Fi	98-04	76-3032	7610-1542	•	•		•	•		
<b>Kawasaki</b>	VN1500 Vulcan Drifter, incl. Fi and Interstate	99-04		7610-1654	•	•		•	•		330mm shock, mounts 14 x 20mm.
<b>Kawasaki</b>	VN1500 Vulcan Nomad, incl. Fi	98-04	76-3032	7610-1542	•	•		•	•		
<b>Kawasaki</b>	VN1500 Mean Streak	02-04		7610-1643	•	•		•	•		340mm shock. OEM Top mtg 14mm roller bearing, bottom mtg 14mm bush. 28mm wide top and 20mm wide bottom. 15 23 11 061 0x4
<b>Kawasaki</b>	VN1600 Vulcan Classic	03-07	76-3032	7610-1542	•	•		•	•		12.75" shock believed to be OE length.
<b>Kawasaki</b>	VN1600 Vulcan Classic	08-	76-3032	7610-1542 tbc	•	•		•	•		322mm shock, may need 611 spring

Make	Model	Year	Part numbers								Notes
			76 Series	36 / 3610 or 76 / 7610	7610-SP8	7610-SP14	7610-SP15	7610-SP16	7610-SP17	3214/ 7613/ 7614	
			Ikon Basix		Chrome body, spring and cap	Black body and spring	Chrome body, spring, cap and skirt	Black body, spring and cap	Chrome body and cap, black spring		
<b>Kawasaki</b>	VN1600 Mean Streak	2004-08		7610-1643	•	•					340mm shock. OEM Top mtg is a 14mm roller bearing, bottom mtg 14mm bush.
<b>Kawasaki</b>	VN1700 Voyager	2009		7610-1663	•	•		•	•		355mm shock. OEM top mtg is a 14mm roller bearing, bottom mtg 14mm bush.
<b>Kawasaki</b>	VN1700 Vulcan Nomad	2011		7610-1663	•	•		•	•		355mm shock. OEM top mtg is a 14mm roller bearing, bottom mtg 14mm bush.
<b>Kawasaki</b>	VN2000			3610-1093							single shock model.
<b>Kymco</b>	Dink		7610-1613								
<b>Laverda</b>	350 and 500	79-85	76-3003	7610-1282SP10							
<b>Laverda</b>	750 all models	70-80	76-3007	7610-1318							
<b>Laverda</b>	1000 3C	73	76-3011	7610-1397		•				7614-1397	
<b>Laverda</b>	1000/1000 RGS	76-89	76-3011	7610-1397		•				7614-1397	
<b>Laverda</b>	1200 all models	76-89	76-3011	7610-1397		•				7614-1397	
<b>Laverda</b>	Jota									7614-2006	
<b>Maico</b>	MD250WK	79-83		7610-1283 + 250-15/21/26							
<b>Matchless</b>	Jampot conversion shock			76-1706							fits into original shock absorber housing using original spring and cover hardware
<b>Matchless</b>	G50			7610-1657SP14							Re-use original lower screw on mounting
<b>Moto Guzzi</b>	V35(I), V35II, V35III, Imola I	78-88		7610-1410							
<b>Moto Guzzi</b>	V35 Custom	82-85	76-3016	7610-1429	•	•		•			
<b>Moto Guzzi</b>	V35 Imola II	84-85	76-3017	7610-1429SP1							
<b>Moto Guzzi</b>	V40	78-84		7610-1410							
<b>Moto Guzzi</b>	V50, V50II, V50III	78-84		7610-1410							

Make	Model	Year	Part numbers								Notes
			76 Series	36 / 3610 or 76 / 7610	7610- SP8	7610- SP14	7610- SP15	7610- SP16	7610- SP17	3214/ 7613/ 7614	
			Ikon Basix		Chrome body, spring and cap	Black body and spring	Chrome body, spring, cap and skirt	Black body, spring and cap	Chrome body and cap, black spring		
<b>Moto Guzzi</b>	V50 Custom	82-84	76-3016	7610-1429	•	•		•			
<b>Moto Guzzi</b>	V50 Monza II	84-85	76-3017	7610-1429SP1							
<b>Moto Guzzi</b>	V65 / V65 Sport	82-84	76-3004	7610-1297	•	•		•			
<b>Moto Guzzi</b>	V65 Custom	83-86	76-3016	7610-1429	•	•		•			
<b>Moto Guzzi</b>	V65 Florida	84-87	76-3016	7610-1429	•	•		•			
<b>Moto Guzzi</b>	V65 Florida	92-94		7610-1282SP3							
<b>Moto Guzzi</b>	V65 Lario	84-87	76-3017	7610-1429SP1							
<b>Moto Guzzi</b>	Breva (750cc) all models	03-13		7610-1623	•	•		•		7614-2003, 3214-2003	
<b>Moto Guzzi</b>	Breva 1100	05-10		3610-1030							
<b>Moto Guzzi</b>	Nevada 750	93-97		7610-1625							For models which do not have the centre stand kit handle fitted. This handle is a bolt on item and can be easily removed. It can also be altered to allow the larger diameter of the spring to pass it. If this is not desired a special extended top mounting version can be made at extra cost. 395mm open, 14mm x 20mm bushes (70 52 25 108 0), no need for spaced top eye, 217springs.
<b>Moto Guzzi</b>	Nevada 750 Club	98-01		7610-1607	7610- 1500S P8						

Make	Model	Year	Part numbers								Notes
			76 Series	36 / 3610 or 76 / 7610	7610- SP8	7610- SP14	7610- SP15	7610- SP16	7610- SP17	3214/ 7613/ 7614	
			Ikon Basix		Chrome body, spring and cap	Black body and spring	Chrome body, spring, cap and skirt	Black body, spring and cap	Chrome body and cap, black spring		
<b>Moto Guzzi</b>	Nevada 750 Club	02-04	76-3014	7610-1607 7610-1422							Lighter spring option - solo use
<b>Moto Guzzi</b>	Nevada 750 Classic IE	05-09								7614-2004	370mm long shock with top eye extension
<b>Moto Guzzi</b>	Nevada 750 including Anniversary model	10-16								7614-2004	370mm long shock with top eye extension
<b>Moto Guzzi</b>	V7, V7 Sport and Special (750 & 850cc), Ambassador, Eldorado	72-91	76-3004	7610-1297	•	•		•		7614-1297	
<b>Moto Guzzi</b>	V7 Cafe	09-11		7610-1623	•	•		•		7614-2003	
<b>Moto Guzzi</b>	V7 Classic	08-12		7610-1623	•	•		•		7614-2003	
<b>Moto Guzzi</b>	V7 Special & Stone	12-14		7610-1623	•	•		•		7614-2003	
<b>Moto Guzzi</b>	V7 II all models	14-16		7610-1623	•	•		•		7614-2003	
<b>Moto Guzzi</b>	V9 850 Bobber	16-		7610-1684		•				7614-1684	
<b>Moto Guzzi</b>	V9 850 Roamer	16-		7610-1684		•				7614-1684	
<b>Moto Guzzi</b>	850 California, T3, T4, 850GT	76-83	76-3004	7610-1297	•	•		•		7614-1297	
<b>Moto Guzzi</b>	850 California T5	83-88	76-3016	7610-1429	•	•		•		7614-1297	
<b>Moto Guzzi</b>	Le Mans I and II (850cc), S3 (750)	75-81	76-3004	7610-1297	•	•		•		7614-1297	
<b>Moto Guzzi</b>	Le Mans III (850cc)	81-84	76-3016	7610-1429	•	•		•		7614-1429	

Make	Model	Year	Part numbers								Notes
			76 Series	36 / 3610 or 76 / 7610	7610- SP8	7610- SP14	7610- SP15	7610- SP16	7610- SP17	3214/ 7613/ 7614	
			Ikon Basix		Chrome body, spring and cap	Black body and spring	Chrome body, spring, cap and skirt	Black body, spring and cap	Chrome body and cap, black spring		
<b>Moto Guzzi</b>	Le Mans IV and V (1000cc)	84-94	76-3016	7610-1429	•	•		•		7614-1429	
<b>Moto Guzzi</b>	1000 Le Mans	84-94	76-3016	7610-1429	•	•		•		7614-1429	
<b>Moto Guzzi</b>	1000 California, California II	82-87	76-3016	7610-1429	•	•		•		7614-1429	
<b>Moto Guzzi</b>	1000 California III / C I / IE	87-93	76-3016	7610-1429	•	•		•		7614-1429	
<b>Moto Guzzi</b>	1000 GS / Convert	72-84	76-3004	7610-1297	•	•		•		7614-1297	
<b>Moto Guzzi</b>	1000 SP	72-84	76-3004	7610-1297	•	•		•		7614-1297	
<b>Moto Guzzi</b>	1000 SPII / SPIII / S	84-94	76-3016	7610-1429	•	•		•		7614-1429	
<b>Moto Guzzi</b>	1000 Mille GT	88-93	76-3016	7610-1429	•	•		•		7614-1429	
<b>Moto Guzzi</b>	1000 Strada	92-94	76-3016	7610-1429	•	•		•		7614-1429	
<b>Moto Guzzi</b>	1100 / 1100i California	93-98	76-3028	7610-1529	•	•		•		7614-1529	
<b>Moto Guzzi</b>	California 75 limited edition	97-98	76-3028	7610-1529	•	•		•		7614-1529	
<b>Moto Guzzi</b>	CaliforniaEV(1100cc) with top mount cover panel	98-01		7610-1610	•						340mm shock, Includes special extended top
<b>Moto Guzzi</b>	California Special / Bassa (USA)	99-00		7610-1610	•						340mm shock, Includes special extended top
<b>Moto Guzzi</b>	CaliforniaEV(1100cc) without top mount cover panel	98-01	76-3028	7610-1529	•	•		•		7614-1529	
<b>Moto Guzzi</b>	CaliforniaEV(1100cc) without top mount cover panel	02-05		7610-1607	•						

Make	Model	Year	Part numbers								Notes
			76 Series	36 / 3610 or 76 / 7610	7610-SP8	7610-SP14	7610-SP15	7610-SP16	7610-SP17	3214/ 7613/ 7614	
			Ikon Basix		Chrome body, spring and cap	Black body and spring	Chrome body, spring, cap and skirt	Black body, spring and cap	Chrome body and cap, black spring		
<b>Moto Guzzi</b>	CaliforniaEV(1100cc) with top mount cover panel	02-09		7610-1615	•						360mm shock, Includes special extended top
<b>Moto Guzzi</b>	California EVT	02		7610-1615	•						360mm shock, Includes special extended top
<b>Moto Guzzi</b>	California Classic	07		7610-1615	•						360mm shock, Includes special extended top. Original shock absorber said to be 350mm long
<b>Moto Guzzi</b>	California Sport Special, Aluminium, Titanium	02-05		7610-1610	•						340mm shock, Includes special extended top
<b>Moto Guzzi</b>	California Stone	01-05	76-3028	7610-1529	•	•		•		7614-1529	
<b>Moto Guzzi</b>	California Stone Metal	02	76-3028	7610-1529	•	•		•		7614-1529	
<b>Moto Guzzi</b>	California Stone Touring	03-05	76-3028	7610-1529	•	•		•		7614-1529	
<b>Moto Guzzi</b>	California Vintage	05		7610-1607	•						to be confirmed
<b>Moto Guzzi</b>	California 1400	13-15	76-3056	7610-1667						7614-1667	
<b>Moto Guzzi</b>	Griso, 850	06-07		3610-1028							
<b>Moto Guzzi</b>	Griso 1100	05-08		3610-1028							
<b>Moto Guzzi</b>	Griso 1200 8v	07-11		3610-1028							
<b>Moto Guzzi</b>	Norge 1200 8v	05-		3610-1029							
<b>Moto Guzzi</b>	V11 Jackel (1100cc)	99-01	76-3016	7610-1429	•	•		•			
<b>Moto Guzzi</b>	V11 Jackel (1100cc)	99-01	76-3028	7610-1529	•	•		•			Heavier springs for regular two up or loaded riding.

Make	Model	Year	Part numbers								Notes
			76 Series	36 / 3610 or 76 / 7610	7610- SP8	7610- SP14	7610- SP15	7610- SP16	7610- SP17	3214/ 7613/ 7614	
			Ikon Basix		Chrome body, spring and cap	Black body and spring	Chrome body, spring, cap and skirt	Black body, spring and cap	Chrome body and cap, black spring		
<b>Moto Guzzi</b>	Falcone / Sahara	Upto 77	76-3004	7610-1297	•	•		•			
<b>Moto Guzzi</b>	NTX650	87-90	76-3014	7610-1422							
<b>Moto Morini</b>	31/2	1977		7610-1307	•	•		•			
<b>MV Augusta</b>	750S America	1976	76-3013	7610-1418	•	•		•		3214-1418, 7614-1418	
<b>Norton</b>	Atlas (Slimline)	66 on	76-3006	7610-1307							requires 8mm sleeves for the lower mount which have to be ordered separately
<b>Norton</b>	Commando and Interstate	69-78	76-3044	76-1373 7610-1653		•				7614-1653	
<b>Norton</b>	Rotary	88-90		7610-1283*							*plus spring 235-15/21/26
<b>Norton</b>	Commander	88-94		7610-1283*							*plus spring 235-15/21/26
<b>Norton</b>	P11			7610-1630							
<b>Piaggio</b>	Beverly	03-07		7610-1629							
<b>Royal Enfield</b>	500cc Bullet Classic, Electra,	95-09	76-3006	7610-1307		•					300mm shock for Indian models.
<b>Royal Enfield</b>	500cc Bullet fuel injected	11-14		7610-1901+ 220-18/25/33N							320mm OE shocks. MUST USE NARROW SERIES SPRINGS
<b>Royal Enfield</b>	500cc Continental GT	13-		7610-1671		•					
<b>Sachs</b>	Roadster 650	00-		7610-1602SP1							+ sleeves 70 52 11 367 0 to be ordered separately
<b>Sanglas</b>	400Y	80-83		7610-1393							
<b>Sanglas</b>	500			7610-1393							
<b>Suzuki</b>	RE5 Rotary	75-77	76-4003	7610-1394	•	•		•	•		
<b>Suzuki</b>	TS50	80-83		7610-1525	•	•		•	•		
<b>Suzuki</b>	TS80	80-83		7610-1525	•	•		•	•		
<b>Suzuki</b>	GP125 / GT125	74-80	76-3006	7610-1307	•	•		•	•		

Make	Model	Year	Part numbers								Notes
			76 Series	36 / 3610 or 76 / 7610	7610-SP8	7610-SP14	7610-SP15	7610-SP16	7610-SP17	3214/ 7613/ 7614	
			Ikon Basix		Chrome body, spring and cap	Black body and spring	Chrome body, spring, cap and skirt	Black body, spring and cap	Chrome body and cap, black spring		
<b>Suzuki</b>	GT185	74-80	76-3006	7610-1307	•	•		•	•		
<b>Suzuki</b>	GT200 X5	74-81	76-3006	7610-1307	•	•		•	•		
<b>Suzuki</b>	GNX250E	82-86	76-3000	7610-1250SP4							
<b>Suzuki</b>	GN250	87-97		7610-1282*							*plus spring 235-15/21/26 (normal loads)
<b>Suzuki</b>	GN250	87-97		7610-1282*							*plus spring 235-18/25/33 (heavier loads)
<b>Suzuki</b>	GSX250	80-85	76-3003	7610-1282SP10							
<b>Suzuki</b>	GT250 incl. X7	74-81	76-3006	7610-1307	•	•		•	•		
<b>Suzuki</b>	GZ250 Marauder	99-04	76-3022	7610-1511SP8							plus 2 x 70 52 11 427 0 sleeves to be ordered separately
<b>Suzuki</b>	T250	70-73	76-3006	7610-1307	•	•		•	•		
<b>Suzuki</b>	TU250X Volty, Grass Tracker, BigBoy, ST	97-02		7610-1901*							*plus spring 220-15/21/26
<b>Suzuki</b>	TU250X	14-16		7610-1669							
<b>Suzuki</b>	T350	70-73	76-3006	7610-1307	•	•		•	•		
<b>Suzuki</b>	GT380	74-79	76-3006	7610-1307	•	•		•	•		
<b>Suzuki</b>	GN400 L / TD	80-83	76-3003	7610-1282SP10							
<b>Suzuki</b>	GS400	77-79	76-3003	7610-1282SP10							
<b>Suzuki</b>	GS400 L / T	80-85	76-3003	7610-1282SP10							
<b>Suzuki</b>	GSX400S / L / E / F	77-89	76-3003	7610-1282SP10							
<b>Suzuki</b>	GSX400 SS Katana	94on		7610-1641							355mm OEM shock with 10 x 20mm bushes
<b>Suzuki</b>	Tempter	98-02	76-3009	7610-1348	•	•		•	•		
<b>Suzuki</b>	GS425E	77-80	76-3003	7610-1282SP10							
<b>Suzuki</b>	GS450S / L / T	80-89	76-3003	7610-1282SP10							
<b>Suzuki</b>	GS450E	89-90	76-3003	7610-1282SP10							
<b>Suzuki</b>	GS500E / XE	78-83	76-3003	7610-1282SP10							
<b>Suzuki</b>	GS500E & K Models	89-10		3610-1002							
<b>Suzuki</b>	GT500	74-79	76-3006	7610-1307	•	•		•	•		
<b>Suzuki</b>	T500	70-73	76-3006	7610-1307	•	•		•	•		
<b>Suzuki</b>	GS550	1977	76-3000	7610-1250SP4							
<b>Suzuki</b>	GS550E / XE	78-83	76-3003	7610-1282SP10							

Make	Model	Year	Part numbers								Notes
			76 Series	36 / 3610 or 76 / 7610	7610-SP8	7610-SP14	7610-SP15	7610-SP16	7610-SP17	3214/ 7613/ 7614	
			Ikon Basix		Chrome body, spring and cap	Black body and spring	Chrome body, spring, cap and skirt	Black body, spring and cap	Chrome body and cap, black spring		
<b>Suzuki</b>	GS550L	80-82	76-3003	7610-1282SP10							
<b>Suzuki</b>	GS550M / EM Katana	81-84	76-3003	7610-1282SP10							
<b>Suzuki</b>	GT550	74-79	76-3006	7610-1307	•	•		•	•		
<b>Suzuki</b>	GSF600 Bandit	95-99		3610-1023							
<b>Suzuki</b>	GSF600 Bandit	00-05		3610-1024							
<b>Suzuki</b>	GSX600F	88-97		3610-1061							
<b>Suzuki</b>	VS600 Intruder, incl. Minnesota	95-98	76-3022	7610-1511	•	•		•	•		standard height
<b>Suzuki</b>	VS600 Intruder, incl. Minnesota	95-98		7610-1532	•	•		•	•		lowers bike approx. 20mm
<b>Suzuki</b>	DR650	1990		3610-1017							
<b>Suzuki</b>	DR650	2007		3610-1027							
<b>Suzuki</b>	Burgman AN650 Scooter	03-15		7610-1609							
<b>Suzuki</b>	DL650 V-Strom	03-12		3610-1100							
<b>Suzuki</b>	GR650 Tempter	1983		3610-1041							
<b>Suzuki</b>	GS650E / L	80-82	76-3003	7610-1282SP10							
<b>Suzuki</b>	GS650GT / Katana	81-84	76-3018	7610-1500							
<b>Suzuki</b>	LS650 Savage	86-04		7610-1530	•						
<b>Suzuki</b>	VS700 Intruder	86-91	76-3022	7610-1511	•	•		•	•		standard height
<b>Suzuki</b>	VS700 Intruder	86-91		7610-1532	•	•		•	•		lowers bike approx. 20mm
<b>Suzuki</b>	GT750	72-79		7610-1307	•	•		•	•		
<b>Suzuki</b>	GS750L / E	77-81	76-4003	7610-1394	•	•		•	•		
<b>Suzuki</b>	GSX750E / S Katana	79-83	76-4003	7610-1394	•	•		•	•		
<b>Suzuki</b>	GSX750	98-00	76-3012	7610-1407							
<b>Suzuki</b>	GSX750 Katana	85		3610-1059							
<b>Suzuki</b>	GSX750F	93-96		3610-1061							
<b>Suzuki</b>	GSXR750J & K	88-89		3610-1018							
<b>Suzuki</b>	VS750 Intruder	86-92	76-3022	7610-1511	•	•		•	•		standard height
<b>Suzuki</b>	VS750 Intruder	86-92		7610-1532	•	•		•	•		lowers bike approx. 20mm

Make	Model	Year	Part numbers								Notes
			76 Series	36 / 3610 or 76 / 7610	7610-SP8	7610-SP14	7610-SP15	7610-SP16	7610-SP17	3214/ 7613/ 7614	
			Ikon Basix		Chrome body, spring and cap	Black body and spring	Chrome body, spring, cap and skirt	Black body, spring and cap	Chrome body and cap, black spring		
<b>Suzuki</b>	VS800 Intruder, incl. Minnesota	92-04	76-3022	7610-1511	•	•		•	•		standard height
<b>Suzuki</b>	VS800 Intruder, incl. Minnesota	92-04		7610-1532	•	•		•	•		lowers bike approx. 20mm
<b>Suzuki</b>	VX800	90-97		7610-1520							normal loads
<b>Suzuki</b>	VX800	90-97	76-3034	7610-1600							heavier loads (cases etc.)
<b>Suzuki</b>	VZ800 Marauder	97-04		7610-1541	•	•		•	•		
<b>Suzuki</b>	GS850L / G	77-88	76-3013	7610-1418	•	•		•	•	3214-1418	
<b>Suzuki</b>	GS1000 / E / H / L / S	78-82	76-4003	7610-1394	•	•		•	•		
<b>Suzuki</b>	GS1000 / G	79-88	76-3013	7610-1418	•	•		•	•	3214-1418	
<b>Suzuki</b>	GS1100L	81-82	76-3013	7610-1418	•	•		•	•	3214-1418	
<b>Suzuki</b>	GS1100E	80-83	76-4003	7610-1394	•	•		•	•		
<b>Suzuki</b>	GS1100GK	82-84	76-3013	7610-1418	•	•		•	•	3214-1418	
<b>Suzuki</b>	GS1100G	86-88	76-3013	7610-1418	•	•		•	•	3214-1418	
<b>Suzuki</b>	GSX1100EF / ES, GS1150ES	83-88	76-3013 or 76-4003	7610-1418 or 7610-1394							Twin shock models only.
<b>Suzuki</b>	GSX1100 / L / S / ES / E	79-84	76-4003	7610-1394	•	•		•	•		
<b>Suzuki</b>	GSX1100 Katana / S Katana	81-85	76-4003	7610-1394	•	•		•	•		
<b>Suzuki</b>	GSX1200 Inazuma	98-02	76-3009	7610-1348	•	•		•	•		standard rate spring, standard shock
<b>Suzuki</b>	GSX1200 Inazuma	98-02	76-3009	7610-1348	•	•		•	•		standard rate spring
<b>Suzuki</b>	GSX1200 Inazuma	98-02	76-3012	7610-1407							heavy duty spring rate, standard shock
<b>Suzuki</b>	GSX1400 K1, K2, K3, K4 Katana	01-07		7610-1636						7614-1636, 3214-1636	
<b>Suzuki</b>	VS1400GLP Intruder, incl. Minnesota	87-03	76-3016	7610-1429	•	•		•	•		standard height
<b>Suzuki</b>	VS1400GLP Intruder, incl. Minnesota	87-03		7610-1532	•	•		•	•		lowers bike approx. 40mm
<b>Suzuki</b>	VZ1600 Marauder	2004		7610-1643	•						
<b>SYM</b>	Voyager 250			76-1703							345mm long shock, eye top fork bottom(18x8mm)

Make	Model	Year	Part numbers								Notes
			76 Series	36 / 3610 or 76 / 7610	7610- SP8	7610- SP14	7610- SP15	7610- SP16	7610- SP17	3214/ 7613/ 7614	
			Ikon Basix		Chrome body, spring and cap	Black body and spring	Chrome body, spring, cap and skirt	Black body, spring and cap	Chrome body and cap, black spring		
<b>Triumph</b>	500 Daytona / Trophy / T-100R	69-79	76-3002	7610-1282SP6							conventional use, for solo use see*
<b>Triumph</b>	650 Thunderbird 6T	69-79	76-3002	7610-1282SP6							conventional use, for solo use see*
<b>Triumph</b>	650 Thunderbird TR65	81-	76-3001	7610-1250SP5 7610-1348							Bush sizes on the bike are 24 x 9.5mm. Bushes with sleeves for 7610-1348 are 20 x 10mm. A washer should be fitted to accommodate the difference.
<b>Triumph</b>	650TR - 6C / TR - 6R - Tiger	69-79	76-3002	7610-1282SP6							conventional use, for solo use see*
<b>Triumph</b>	650T - 110	69-79	76-3002	7610-1282SP6							conventional use, for solo use see*
<b>Triumph</b>	650T - 120R / T - 120 Bonneville	69-79	76-3002	7610-1282SP6							conventional use, for solo use see*
<b>Triumph</b>	675 Street Triple	2015		3610-1099							
<b>Triumph</b>	750 Tiger TR7 V / T - 140V Bonneville	72 on	76-3001	7610-1250SP5 7610-1348							For models upto 1978 the spring may touch the chain guard. The guard can normally be safely moved to avoid this. From 1979 on the brake torque arm also will need spacing. Parts to do this are not included with the shock absorbers.
<b>Triumph</b>	750 Tiger TR7 V / T - 140V Bonneville - SOLO or LIGHTER USE option	72 on	76-3000	7610-1250SP4							For models upto 1978 the spring may touch the chain guard. The guard can normally be safely moved to avoid this. From 1979 on the brake torque arm also will need spacing. Parts to do this are not included with the shock absorbers.
<b>Triumph</b>	750T - 150 Trident / V / T - 160V	69-79	76-3002	7610-1282SP6							conventional use, for solo use see*
<b>Triumph</b>	*for solo use only on these Triumph's use:		76-3003	7610-1282SP10							has lighter spring than the SP6
<b>Triumph</b>	Tiger Trail	82-83		7610-1283							+250-15/21/28
<b>Triumph</b>	900 Adventurer	96-01		3610-1047							
<b>Triumph</b>	Bonneville	00-08	76-3046	7610-1602	•	•		•	•	7614-1602, 3214-1602	

Make	Model	Year	Part numbers								Notes
			76 Series	36 / 3610 or 76 / 7610	7610- SP8	7610- SP14	7610- SP15	7610- SP16	7610- SP17	3214/ 7613/ 7614	
			Ikon Basix		Chrome body, spring and cap	Black body and spring	Chrome body, spring, cap and skirt	Black body, spring and cap	Chrome body and cap, black spring		
<b>Triumph</b>	Bonneville -for lighter or solo use	00-08		7610-1602SP1							7610-1602SP1 has a lighter spring fitted for riders who are of lighter weight and or ride more than 50% of the time solo.
<b>Triumph</b>	Bonneville & Bonneville SE (Alloy wheel models)	09-15	76-3042	7610-1647	•	•		•	•	7614-1647, 3214-1647	
<b>Triumph</b>	Bonneville & Bonneville SE(Alloy wheel models)-for lighter or solo use	09-15	76-3043	7610-1648	•	•		•	•	7614-1648, 3214-1648	Lighter rate spring option for lighter riders or riding more than 50% of the time solo
<b>Triumph</b>	Bonneville T100 (790cc and 865cc)	02-15	76-3046	7610-1602	•	•		•	•	7614-1602, 3214-1602	
<b>Triumph</b>	Bonneville T100 (790cc and 865cc)-for lighter or solo use	02-15	76-3057	7610-1602SP1							7610-1602SP1 has a lighter spring fitted for riders who are of lighter weight and or ride more than 50% of the time solo.
<b>Triumph</b>	Bonneville 900 Street Twin	16-	76-3057	7610-1676	•	•		•	•	7614-1676, 3214-1676	
<b>Triumph</b>	Bonneville T120 1200	16-		7610-1676	•	•		•	•	7614-1676, 3214-1676	
<b>Triumph</b>	Bonneville - Lowering shocks	00-08	76-3040	7610-1633	•	•		•	•	7614-1633	Lowers bike by approximately 25mm
<b>Triumph</b>	Bonneville America (790cc)	02-15	76-3032	7610-1542	•	•		•	•	7614-1542	
<b>Triumph</b>	Daytona 750	91-93		3610-1053							
<b>Triumph</b>	Ltd Speed Triple 750	96		3610-1053							
<b>Triumph</b>	Trident 750	91-98		3610-1053							
<b>Triumph</b>	Daytona 900	92-96		3610-1063							
<b>Triumph</b>	Legend 900 SMTTC393	98-01		3610-1047							
<b>Triumph</b>	Sprint 900	93-98		3610-1053							
<b>Triumph</b>	Trident 900	91 on		3610-1053							
<b>Triumph</b>	Trophy 900	91 on		3610-1053							

Make	Model	Year	Part numbers								Notes
			76 Series	36 / 3610 or 76 / 7610	7610-SP8	7610-SP14	7610-SP15	7610-SP16	7610-SP17	3214/ 7613/ 7614	
			Ikon Basix		Chrome body, spring and cap	Black body and spring	Chrome body, spring, cap and skirt	Black body, spring and cap	Chrome body and cap, black spring		
<b>Triumph</b>	Rocket III (2300cc), including Classic, and Touring (oe seat height 730mm)	04-13		7610-1611	•	•		•	•	7614-1611	
<b>Triumph</b>	Rocket III (2300cc), including Classic, and Touring - LOWERING SHOCKS	04-13		7610-1612	•	•		•	•	7614-1612	7610-1612SP8 / SP14 / SP16 and 7614-1612 Lowers the bike by approx 35mm.
<b>Triumph</b>	Rocket III (2300cc), including Classic, and Touring (oe seat height 730mm)	04-13		7610-1635	•						Heavier duty springing for riders who like a firmer ride or are loading more than 90kg onto the bike more than 50% of the time
<b>Triumph</b>	Rocket Roadster (oe seat height 750mm)	10-15		7610-1650	•	•			•		
<b>Triumph</b>	Speedmaster (865cc)	03-15	76-3032	7610-1542	•	•		•	•	7614-1542	
<b>Triumph</b>	Speedmaster (865cc) LOWERING SHOCKS	03-15		7610-1532	•	•		•	•	7614-1532	
<b>Triumph</b>	Speed Triple	04-10		3610-1062							
<b>Triumph</b>	Thruxton 900	04-15	76-3021	7610-1507	•	•		•	•	7614-1507, 3214-1507	
<b>Triumph</b>	Thruxton 900 10mm shorter shock for lower seat height	04-15	76-3025	7610-1523	•	•		•	•	7614-1523, 3214-1523	
<b>Triumph</b>	Thruxton 900 23mm shorter shock for lower seat height	04-15	76-3046	7610-1602	•	•		•	•	7614-1602, 3214-1602	
<b>Triumph</b>	Thruxton	16		7610-1683	•	•		•	•	7614-1683, 3214-1683	
<b>Triumph</b>	Thruxton R 1200	16		7610-1681	•	•		•	•	7614-1681, 3214-1681	
<b>Triumph</b>	Scrambler	06-15	76-3021	7610-1507	•	•		•	•	7614-1507, 3214-1507	
<b>Triumph</b>	Thunderbird 900, SMTTC339	95-98		3610-1047							
<b>Triumph</b>	Thunderbird 900, inc Sport	98-04		3610-1046							

Make	Model	Year	Part numbers								Notes
			76 Series	36 / 3610 or 76 / 7610	7610-SP8	7610-SP14	7610-SP15	7610-SP16	7610-SP17	3214/ 7613/ 7614	
			Ikon Basix		Chrome body, spring and cap	Black body and spring	Chrome body, spring, cap and skirt	Black body, spring and cap	Chrome body and cap, black spring		
<b>Triumph</b>	Thunderbird 1600 (oe seat height 700mm)	09-15		7610-1650	•	•		•	•		
<b>Triumph</b>	Thunderbird Storm 1700 (oe seat heght 700mm), LT 1700	11-15		7610-1650	•	•		•	•		
<b>Triumph</b>	Tiger	04		3610-1074							
<b>Triumph</b>	Trophy, 1200	95-01		3610-1063							
<b>Ura,</b>	Sidecar models with leading link front end. 5 shocks per bike including shock for sidecar wheel	08-12		7610-1664		•					
<b>Victory</b>	Highball	12		3610-1060							
<b>Vincent</b>	HRD1000 Black Lightning 1000 series C			76-1239							This shock is used on front and rear.
<b>Yamaha</b>	125 Vino, YJ125V			7610-1614							Single shock scooter
<b>Yamaha</b>	XVS125 Drag Star, V Star	00-04	76-3006	7610-1307	•	•		•	•		conventional spring
<b>Yamaha</b>	XVS125 Drag Star, V Star	00-04	76-3020	7610-1506	•						has heavy duty chromed spring
<b>Yamaha</b>	Zuma 125 scooter	09		7610-1668							
<b>Yamaha</b>	Majesty YP250 Scooter	97-01		76-1703							
<b>Yamaha</b>	Majesty YP250 P	02-		76-1703SP1							
<b>Yamaha</b>	RD250	73-80		7610-1525	•						
<b>Yamaha</b>	SR250 SE	77-85	76-3006	7610-1307	•	•		•	•		
<b>Yamaha</b>	SRV250	94-99		7610-1250SP2							320mm long 14mm bushes top and bottom, 230 spring
<b>Yamaha</b>	SRX 250	84		3610-1064							
<b>Yamaha</b>	X-Max 250	05-10		7610-1658							
<b>Yamaha</b>	XS250	77-81		7610-1525	•						
<b>Yamaha</b>	XT250	83		3610-1092							
<b>Yamaha</b>	XV250 Virago / S	89-07	76-3006	7610-1307	•	•		•	•		conventional spring
<b>Yamaha</b>	XV250 Virago / S	89-07	76-3020	7610-1506	•						has heavy duty chromed spring
<b>Yamaha</b>	Virago 250 (USA)	2004	76-3006	7610-1307	•	•		•	•		conventional spring

Make	Model	Year	Part numbers								Notes
			76 Series	36 / 3610 or 76 / 7610	7610-SP8	7610-SP14	7610-SP15	7610-SP16	7610-SP17	3214/ 7613/ 7614	
			Ikon Basix		Chrome body, spring and cap	Black body and spring	Chrome body, spring, cap and skirt	Black body, spring and cap	Chrome body and cap, black spring		
<b>Yamaha</b>	Virago 250 (USA)	2004	76-3020	7610-1506	•						has heavy duty chromed spring
<b>Yamaha</b>	XVS250 Drag Star, V Star	00-04	76-3006	7610-1307	•	•					conventional spring
<b>Yamaha</b>	XVS250 Drag Star, V Star	00-04	76-3020	7610-1506	•						has heavy duty chromed spring
<b>Yamaha</b>	XC300			7610-1655							
<b>Yamaha</b>	RD350	73-78		7610-1525	•	•		•	•		
<b>Yamaha</b>	XS360	77-81		7610-1525	•	•		•	•		
<b>Yamaha</b>	Majesty YP400 Scooter	04-07		7610-1608							
<b>Yamaha</b>	RD400	78-80		7610-1525	•	•		•	•		
<b>Yamaha</b>	SR400	78-16	76-3009	76-1472, 7610-1348 - Japan only, 7610-1525 - Japan only solo use							
<b>Yamaha</b>	XJ400	80-85	76-3009	7610-1348	•	•		•	•		
<b>Yamaha</b>	XJR400/R	93-95		7610-1525	•						
<b>Yamaha</b>	XJR400/R	96-04	76-3009	7610-1348*	•	•		•	•		standard (black spring) *to be confirmed
<b>Yamaha</b>	XJR400/R	96-04	76-3009	7610-1348*	•	•		•	•		SP8 (chromed spring & dust cover) *tbc
<b>Yamaha</b>	X Max 400 scooter	13-14	76-4007	7610-1666							
<b>Yamaha</b>	XS400/SE	77-86		7610-1348SP1							
<b>Yamaha</b>	SR500	78-04		76-1472							
<b>Yamaha</b>	TT500	76-81		76-1462						3214-2010	
<b>Yamaha</b>	XS500	75-77		7610-1525	•	•		•	•		
<b>Yamaha</b>	XT500	77-89		76-1462						3214-2010	
<b>Yamaha</b>	XV535 Virago / S	88-03	76-3020	7610-1506	•						standard height, chrome shock
<b>Yamaha</b>	XV535 Virago / S	88-03	76-3020	7610-1506	•						standard height, standard shock
<b>Yamaha</b>	XV535 Virago / S	88-03		7610-1530	•						lowers bike approx. 30mm
<b>Yamaha</b>	XJ550	80-85	76-3009	7610-1348	•						
<b>Yamaha</b>	SRX600	85-89	76-3006	7610-1307	•	•		•	•		

Make	Model	Year	Part numbers								Notes
			76 Series	36 / 3610 or 76 / 7610	7610- SP8	7610- SP14	7610- SP15	7610- SP16	7610- SP17	3214/ 7613/ 7614	
			Ikon Basix		Chrome body, spring and cap	Black body and spring	Chrome body, spring, cap and skirt	Black body, spring and cap	Chrome body and cap, black spring		
<b>Yamaha</b>	TT600	86		3610-1049							
<b>Yamaha</b>	XJ600 Radian	89-91	76-3022	7610-1511	•	•		•	•		
<b>Yamaha</b>	XJ600 Diversion (Seca II)	91-99		3610-1015							
<b>Yamaha</b>	XT600	83-89		3610-1050							
<b>Yamaha</b>	XT600 E / K	90-99		3610-1033							
<b>Yamaha</b>	XTZ600 Tenere	85-90		3610-1050							
<b>Yamaha</b>	YX600 Radian	90-94	76-3022	7610-1511	•	•		•	•		
<b>Yamaha</b>	XJ650 inc Maxim and Turbo	80-86	76-3012	7610-1407	•	•		•	•		
<b>Yamaha</b>	TX650	73-74	76-3009	7610-1348	•	•		•	•		
<b>Yamaha</b>	XS650 / SE	75-86	76-3009	7610-1348	•	•		•	•		
<b>Yamaha</b>	XJ700 Maxim	80-	76-3032	7610-1542	•	•		•	•	7614-1542	Old Koni nr 7610-1515.
<b>Yamaha</b>	XV700 Virago	85-97	76-3020	7610-1506	•	•					standard height, chrome shock
<b>Yamaha</b>	XV700 Virago	85-97	76-3020	7610-1506	•	•					standard height, standard shock
<b>Yamaha</b>	XV700 Virago	85-97		7610-1530	•	•					lowers bike approx. 30mm
<b>Yamaha</b>	750 DOHC	80-81	76-3012	7610-1407	•	•		•	•		
<b>Yamaha</b>	FZX750	87-94	76-3012	7610-1407	•	•		•	•		
<b>Yamaha</b>	TX750 A	72-76	76-3022	7610-1511	•	•		•	•		
<b>Yamaha</b>	XS750 / SE	77-83	76-3012	7610-1407	•	•		•	•		
<b>Yamaha</b>	XJ750E / F	84-86	76-3020	7610-1506	•	•					
<b>Yamaha</b>	XJ750 Seca	81-88	76-3012	7610-1407	•	•		•	•		
<b>Yamaha</b>	XV750 Virago	85-98	76-3020	7610-1506	•	•					standard height, chrome shock
<b>Yamaha</b>	XV750 Virago	85-98	76-3020	7610-1506	•	•					standard height, standard shock
<b>Yamaha</b>	XV750 Virago	85-98		7610-1530	•	•					lowers bike approx. 30mm
<b>Yamaha</b>	XS850	78-83	76-3012	7610-1407	•	•		•	•		
<b>Yamaha</b>	XJ900S / F / N	83-94	76-3020	7610-1506	•	•					
<b>Yamaha</b>	Bolt 942	13-16		7610-1670	•	•		•	•	7614-1670	
<b>Yamaha</b>	XV1000 Virago	85-89	76-3020	7610-1506	•	•					standard height, chrome shock
<b>Yamaha</b>	XV1000 Virago	85-89	76-3020	7610-1506	•	•					standard height, standard shock
<b>Yamaha</b>	XV1000 Virago	85-89		7610-1530	•	•					lowers bike approx. 30mm

Make	Model	Year	Part numbers								Notes
			76 Series	36 / 3610 or 76 / 7610	7610-SP8	7610-SP14	7610-SP15	7610-SP16	7610-SP17	3214/ 7613/ 7614	
			Ikon Basix		Chrome body, spring and cap	Black body and spring	Chrome body, spring, cap and skirt	Black body, spring and cap	Chrome body and cap, black spring		
<b>Yamaha</b>	YZF1000R1			3610-1056							
<b>Yamaha</b>	XS1100 / S	78-84	76-3012	7610-1407	•	•		•	•		
<b>Yamaha</b>	XV1100 Virago	87-99	76-3020	7610-1506	•						standard height
<b>Yamaha</b>	XV1100 Virago	87-99		7610-1530	•						lowers bike approx. 30mm
<b>Yamaha</b>	XVS1100	98-10		3610-1048							
<b>Yamaha</b>	XJR1200 / R	94-98	76-3009	7610-1348	•	•		•	•		standard rate spring, standard shock
<b>Yamaha</b>	XJR1200 / R	94-98	76-3012	7610-1407	•	•		•	•		heavy duty spring rate, standard shock
<b>Yamaha</b>	VMax 1200, VMX 1200	85-04	76-3016	7610-1429	•	•		•	•		standard height
<b>Yamaha</b>	VMax 1200, VMX 1200	85-04		7610-1532	•	•		•	•		lowers bike approx. 35mm
<b>Yamaha</b>	XJR1300	98-05	76-3009	7610-1348	•	•		•	•		standard rate spring, standard shock
<b>Yamaha</b>	XJR1300	98-05	76-3009	7610-1348	•	•		•	•		standard rate spring
<b>Yamaha</b>	XJR1300	98-05	76-3012	7610-1407	•	•		•	•		heavy duty spring rate, standard shock
<b>Yamaha</b>	XV1600A Road Star	99-04		3610-1058							
<b>Zundapp</b>	M50 / C50Super / C50Sport / GTS50 / GS50 / KS50 / K80 / KS80	72-84		76-1334							Spring 220-11 or 215-14. These items are special order items
<b>Zundapp</b>	KS-125 / KS-175	77-83		76-1334							Spring 220-11 or 215-14. These items are special order items

Make	Model	Year	Ikon Part Nmbr	SPACER / COMMENT
<b>ATK</b>	WHITE POWER SUPER ADJUST	ALL	500-078	Approx 25% HEAVIER
<b>APRILIA</b>	RS250 Single fork spring model	95-97	500-042	
<b>APRILIA</b>	RS250L DA1	98 on	500-135	
<b>APRILIA</b>	MOTO 6.5	92-96	500-085	
<b>APRILIA</b>	PEGASO 650 (KAYABA) DIA. 41 USD	96 <	500-130	
<b>APRILIA</b>	PEGASO 650 (MARZOCI) 40MM USD	96 on	500-131	
<b>APRILIA</b>	PEGASO 650 Strada	05 on	500-022	
<b>APRILIA</b>	ETV 1000 Caponord ZD4PS	02-	500-284	Fork oil SAE15, Air gap 150mm.
<b>APRILIA</b>	RSV 1000 Mille ZD4	98 on	500-240	
<b>APRILIA</b>	SL1000 Falco	00 on	500-240	
<b>BIMOTA</b>	DB2 (PAIOLI)		500-022	
<b>BIMOTA</b>	KB2Fi40 Race		500-232	
<b>BIMOTA</b>	SB6 (PAIOLI + 20MM HULSE)	94 on	500-139	
<b>BIMOTA</b>	YB4 (42M1R)		500-207	
<b>BIMOTA</b>	YB5		500-207	
<b>BIMOTA</b>	YB6/8 (42M1R)		500-207	
<b>BIMOTA</b>	YB8 DIE CI (USD)	91 on	500-018	
<b>BIMOTA</b>	YB9SR (41MM PAIOLI RSU)	94 on	500-022	
<b>BIMOTA</b>	YB9SRI (43MM PAIOLI RSU)	94 on	500-089	
<b>BMW</b>	R45	78-85	500-140	
<b>BMW</b>	R50/5	upto 87	500-084	
<b>BMW</b>	R60,R60/5	upto 87	500-084	
<b>BMW</b>	F650	94-00	500-141, 500-121, 500-013	250mm x 34,
<b>BMW</b>	F650GS	00 on	500-141	
<b>BMW</b>	F650GS Dakar	00 on	500-255	150mm standard factory spacer.
<b>BMW</b>	F650CS	02 on	500-282	Showa normal (not upside down) forks.
<b>BMW</b>	R65	78-84	500-140	NONE, Can also use 500-083 with 15mm spacer. 500-083 good for heavier duty use.
<b>BMW</b>	R65LS	78-85	500-140	
<b>BMW</b>	R65 (30MM OD SPRING)	85-87	500-196	NONE
<b>BMW</b>	R65G/S (26.5MM OD SPRING)	upto 87	500-084	

Make	Model	Year	Ikon Part Nmbr	SPACER / COMMENT
<b>BMW</b>	R65 Single sided arm	85 on	500-097	
<b>BMW</b>	R65RT Single sided arm	85 on	500-196	
<b>BMW</b>	K75 / C / S / T / LR / RT	83-91	500-086	NONE
<b>BMW</b>	K75 / A / S / RT	92-95	500-065	Can also use 500-101+20mm x 32mm spacer OR 500-025 with a 95mm spacer
<b>BMW</b>	R75 / 5 / 6 / 7	upto 87	500-084	60mm X 26mm, Extra heavy duty use 500-161 with 90mm x 26mm spacer
<b>BMW</b>	R80 / 7	upto 87	500-084	60mm X 26mm, Extra heavy duty use 500-161 with 90mm x 26mm spacer
<b>BMW</b>	R80GS	80-88	500-084	NONE
<b>BMW</b>	R80 Single sided swing arm	85 on	500-097	NONE
<b>BMW</b>	R80RT	85-87	500-196	NONE
<b>BMW</b>	R80RT Single sided swing arm	85 on	500-196	NONE
<b>BMW</b>	R85GS (cartridge)	96-97	500-114	
<b>BMW</b>	R80GS P.D. HART	88 on	500-087	
<b>BMW</b>	R80GS PARALEVER / ST.TANK	88 on	500-085	
<b>BMW</b>	R80R	92 on	500-065	
<b>BMW</b>	R80ST	83 on	500-140	
<b>BMW</b>	R90/6	upto 87	500-084	60mm X 26mm, Extra heavy duty use 500-161 with 90mm x 26mm spacer
<b>BMW</b>	K-1 CARTRIDGE (30.5MM OD SPRING)	91 on	500-143	
<b>BMW</b>	K-1 (34MM OD SPRING)		500-086	NONE
<b>BMW</b>	K-1	89-90	500-144	
<b>BMW</b>	R100 / CS / RS / RT	upto 87	500-084	60mm x 26mm, Extra heavy duty use 500-161 with 90mm x 26mm spacer
<b>BMW</b>	R100GS	88-96	500-087	NONE
<b>BMW</b>	R100GS CARTRIDGE	96-97	500-114	
<b>BMW</b>	R100GS P.D. HART	88-96	500-087	May need spacer of 5 - 10mm to tune to taste.
<b>BMW</b>	R100GS PARALEVER / ST. TANK	88 on	500-085	
<b>BMW</b>	R100R	91-96	500-065	
<b>BMW</b>	R100RS / RT	85-96	500-196	NONE
<b>BMW</b>	R100RT	94-95	500-196	NONE
<b>BMW</b>	K100 / LT / RS / RT	83-99	500-003	NONE
<b>BMW</b>	K100RS 16V	90 on	500-142	
<b>BMW</b>	K1100LT	92 on	500-143	
<b>BMW</b>	K1100RS	92 on	500-143	
<b>BUELL</b>	M2 CYCLONE	97-98	500-222	

Make	Model	Year	Ikon Part Nmbr	SPACER / COMMENT
<b>BSA</b>	A65		500-091	14mm x 27mm spacer needed in some forks
<b>CAGIVA</b>	650 ALAZURA	83 on	500-083	
<b>CAGIVA</b>	650 RAPTOR	00 on	500-273	
<b>CAGIVA</b>	750 LUCKY	93 on	500-117	
<b>CAGIVA</b>	750 AC ELEFANT	94 on	500-117	
<b>CAGIVA</b>	900 IE LUCKY (Single Spring)	90-91	500-124	
<b>CAGIVA</b>	900 LUCKY	93 on	500-117	
<b>CAGIVA</b>	900 ELEFANT (USD)	93-95	500-072	
<b>CAGIVA</b>	900 ELEFANT AC (USD) SHOWA	95 on	500-168	
<b>CAGIVA</b>	1000 RAPTOR	00 on	500-273	
<b>CAN-AM</b>	ALLMODELS W / 40MM FORKS		500-085	270mm x 33
<b>CAN-AM</b>	ALLMODELS W / 42MM FORKS		500-099	237mm x 35
<b>DUCATI</b>	400SS SHOWA	91-94	500-088	
<b>DUCATI</b>	500 / 600 PANTHER - PANTAH	78-86	500-212	
<b>DUCATI</b>	Monster 600 (SHOWA / MARZ. UPSD)	94-99	500-021	
<b>DUCATI</b>	650 PANTHER	78-86	500-212	
<b>DUCATI</b>	748/SP (SHOWA USD)	94 on	500-009	
<b>DUCATI</b>	750	75-85	500-151	
<b>DUCATI</b>	750 FI / B	86-89	500-038	
<b>DUCATI</b>	750 GT / S	72-77	500-015	100mm x 30
<b>DUCATI</b>	M750 (MARZ. UPSD)	97 on	500-021	
<b>DUCATI</b>	M750 (SHOWA)	95-96	500-088	
<b>DUCATI</b>	750SS (SHOWA UPSD)	91-94	500-088	
<b>DUCATI</b>	750SS (MARZ. UPSD)	95 on	500-064	May need 50 to 10mm spacer. Reduce original.
<b>DUCATI</b>	803 SCRAMBLER	14 on	500-937	
<b>DUCATI</b>	851 STRADA (MARZ. M1R)	88-89	500-149	
<b>DUCATI</b>	851 STRADA (Showa)	91 on	500-005	
<b>DUCATI</b>	860 GT	75-77	500-015	100mm x 30
<b>DUCATI</b>	888 STRADA / SP5 (Showa)	93 on	500-005	
<b>DUCATI</b>	900 all models	75-85	500-151	
<b>DUCATI</b>	900SS / GTS	77-79	500-015	100mm x 30
<b>DUCATI</b>	M900 (SHOWA UPSD)	93 on	500-088	

Make	Model	Year	Ikon Part Nmbr	SPACER / COMMENT
DUCATI	M900 (MARZ.UPSD)	97 on	500-108	
DUCATI	900SS (MARZ)	89-90	500-082	
DUCATI	900SS (SHOWA UPSD)	91-95	500-005	
DUCATI	900SS	96 on	500-088	
DUCATI	900 Monster (Showa forks)		500-047	Re-use original spacer.
DUCATI	916 STRADA / BIPO (SHOWA UPSD)	94 on	500-009	
DUCATI	1000	75-85	500-151	
DUCATI	GT1000	06-11	500-009	
DUCATI	M1000Sie(M4)	03-	500-236	
EGLI	35MM		500-008	
EGLI	38MM		500-149	
FORCELLA	38MM		500-195	
FORCELLA	40MM		500-082	
FORCELLA	42MM		500-186	
GILERA	NORDWEST600	91 on	500-132	
GILERA	RC600	89-90	500-087	
GILERA	SATURNO-EUROPE	89 on	500-232	
HARLEY	FL-FLH 41mm forks	49-77	500-931	127mm x 32mm
HARLEY	FL-FLH (4 Speed) 41mm forks	78-86	500-931	127mm x 32mm
HARLEY	FLH/FLHT (5 Speed) 41mm forks	80-01	500-931	127mm x 32mm
HARLEY	FLH/FLHT/FLT( 5 Speed) 41mm forks	02-13	500-931	127mm x 32mm
HARLEY	FLH/FLHT/FLT/FLTRX (not CVO models)	14-16	500-932	
HARLEY	FLHR Road King 41mm forks	02-13	500-931	127mm x 32mm
HARLEY	FXCW Rocker, FXCWC Rocker C 49mm forks	08-09	500-932	
HARLEY	FXWG 41mm forks	80-86	500-931	Re-use original spacer
HARLEY	FXLR 39mm forks	87-94	500-066	20mm x 30mm, 500-142 is an extra heavy duty option
HARLEY	FXR-SP / Conv 39mm forks	87-94	500-066	100mm x 30mm
HARLEY	FXR/FXRS 35mm forks	82-87	500-096	
HARLEY	FXR/FXRS 39mm forks	88-94	500-066	20mm x 30mm, 500-142 is an extra heavy duty option
HARLEY	FXRT 35mm forks		500-096	
HARLEY	FXRT 39mm forks		500-066	100mm x 30mm
HARLEY	FXRT 35mm forks		500-096	

Make	Model	Year	Ikon Part Nmbr	SPACER / COMMENT
HARLEY	FXD/B/C 39mm forks	91-92	500-066	20mm x 30mm, 500-142 is an extra heavy duty option
HARLEY	FXD/C 39mm forks	95-05	500-066	No additional spacer required
HARLEY	FXDI, CI, WG and 35, 49mm forks, 5wt oil	06-16	500-932	
HARLEY	FXDBI and FXDLI 49mm forks, 5wt oil	06-16	500-932	120mm x 43mm spacer
HARLEY	FXDF 49mm forks	08-14	500-932	
HARLEY	FXDL 39mm forks	93-05	500-066	
HARLEY	FXDL 49mm forks	06-09	500-932	
HARLEY	FXDL 49mm forks	14	500-932	
HARLEY	FXDS - CONV 39mm forks		500-066	20mm x 30, 500-142 is an extra heavy duty option
HARLEY	FXDWG 41mm forks	93-05	500-931	127mm x 32mm
HARLEY	FXDX 39mm forks	99	500-066	20mm x 30mm, 500-142 is an extra heavy duty option
HARLEY	FXDX/T 39mm forks	00-05	500-077	32mm x 30mm
HARLEY	ALL SPORTSTERS (XL, XLCR ETC) 35mm forks	53-87	500-096	
HARLEY	XR1000 35mm forks	83-84	500-096	
HARLEY	883/1200 SPORTSTER 39mm forks	88 on	500-066	None
HARLEY	883/1200 SPORTSTER STD, DLX 39mm forks	96-03	500-066	None
HARLEY	883 HUGGER 39mm forks	88-91	500-066	None
HARLEY	883 HUGGER/1200C 39mm forks	92-00	500-066	None
HARLEY	883/1200 SPORTSTER STD, DLX 39mm forks	94-95	500-066	None
HARLEY	XL 883R/1200R SPORTSTER 39mm forks	04-14	500-066	25mm x 30MM
HARLEY	XL 883C/1200C SPORTSTER 39mm forks	04-14	500-066	25mm x 30MM
HARLEY	XL 883 L	05-14	500-066	
HARLEY	XL 883 N	08-14	500-066	
HARLEY	XL 1200 L	05-11	500-066	
HARLEY	XL 1200 N NIGHTSTER	08-11	500-066	
HARLEY	XL 1200 X 4T8 (48)	10-14	500-066	
HARLEY	XL 1200 V (72)	12-14	500-066	
HARLEY	FXST/FLST Softail 41mm forks (not springer front end)	84-14	500-931	127mm x 32mm, cut to 107mm for most models
HARLEY	FXSB - Softail Breakout	14	500-932	
HARLEY	V-Rod VRSA, VRSAW, VRSB, VRSC, VRSD, VRSX 49mm forks, 5 wt oil	02-08	500-932	120mm x 43mm spacer
HARLEY	V-Rod Night Rod Special VRSCDX	08-11	500-932	120mm x 43mm spacer

Make	Model	Year	Ikon Part Nmbr	SPACER / COMMENT
HONDA	NX125	88-90	500-084	25mm x 27mm
HONDA	TLR200REFLEX	86-87	500-181	
HONDA	XR200R	84-02	500-221	
HONDA	CBF250	05 on	500-015	
HONDA	CBR250RR (MC17)		500-196	Shorten original spacer to 15mm. OEM spring 250mm x 30mm with 250mm spacer.
HONDA	250 Rebel	1987	500-105	25mm x 24.7mm spacer.
HONDA	CD250U	1990	500-181	no spacer
HONDA	NX250	88-90	500-197	200mm x 31mm
HONDA	RS250RF	93	500-184	
HONDA	VT250 Spada		500-066	Original 200mm spacer can be shortened or deleted.
HONDA	VTR250	88-90	500-161	Use Original
HONDA	XL250	84-87	500-084	100mm x 27
HONDA	XR250L	91-97	500-099	50mm x 35
HONDA	XR250R	84-85	500-197	
HONDA	XR250R	86-89	500-099	NONE
HONDA	XL350R	85 on	500-198	
HONDA	XR350R	83-85	500-099	NONE
HONDA	CB400N	78 on	500-181	
HONDA	CBR400RR	89-91	500-031	
HONDA	CBR400RR	92 on	500-201	
HONDA	NS400R	85 on	500-066	
HONDA	VF400FD	83 on	500-212	
HONDA	VFR400R	91 on	500-021	Original spacer 150mm
HONDA	XR400R	96-97	500-204	
HONDA	XR400R	98-04	500-204	
HONDA	CB450N/S	85 on	500-172	
HONDA	CR480		500-043	
HONDA	500 INTERCEPTOR		500-066	
HONDA	CB500	93-95	500-066	
HONDA	CB500	96 on	500-066	
HONDA	CB500F	75 on	500-056	
HONDA	CX500	81-82	500-095	

Make	Model	Year	Ikon Part Nmbr	SPACER / COMMENT
HONDA	CX500 Shadow, some models may have earlier forks so need this spring. Check original springs before ordering.	82	500-096	Original spring may be 535 mm long so supply 25 x 21 mm spacer
HONDA	CX500B	79-80	500-096	
HONDA	CX500 CUSTOM / CX500C	80 on	500-069	NONE
HONDA	CX500E	83 on	500-192	
HONDA	CX500 CUSTOM		500-061	NONE
HONDA	CX500 TURBO		500-182	NONE
HONDA	CX500 TURBO	83 on	500-200	
HONDA	FT500		500-007	Use Original
HONDA	GB500	89 on	500-199, 500-212	For 500-199 re-use original spacer, for 500-212 shorten original spacer.
HONDA	GL500	81 on	500-083	75mm x 25
HONDA	V30 MAGNA / VF500F / F2	84 on	500-173	Use Original
HONDA	VT500C/E	83 on	500-094	Shorten original spacer to 135mm
HONDA	XBR500	85 on	500-008	
HONDA	XL500/S	79 on	500-220	NONE
HONDA	XR500		500-220	NONE
HONDA	CB550F/K	76-78	500-083	NONE
HONDA	550 NIGHT HAWK / CBX550	82 on	500-157	Use Original
HONDA	CB600 HORNET	98 on	500-055	
HONDA	CBR600 HURRICANE / CBR600F	87-90	500-173	Use Original
HONDA	CBR600F	91-92	500-010	Use Original
HONDA	CBR600F	93-98	500-202, 500-060	NONE
HONDA	VT600C	88-04	500-173	Shorten original to 30mm
HONDA	XL600LM/RM	85 on	500-160	
HONDA	XL600TRANSALP	87 on	500-124	
HONDA	XR600R	85-90	500-165	NONE, Linear rate spring
HONDA	XR600R	91-00	500-158	NONE, Linear rate spring
HONDA	CB650		500-061	NONE
HONDA	CB650C		500-061	Use Original

Make	Model	Year	Ikon Part Nmbr	SPACER / COMMENT
HONDA	CB650B	81 on	500-061	
HONDA	650 NIGHT HAWK / CB650SC	81 on	500-008	30mm x 27
HONDA	650 NIGHT HAWK / CBX650E	83 on	500-035	Use Original
HONDA	CX650C	83 on	500-123, 500-094	500-094 requires a 24mm x 29mm spacer
HONDA	CX650 TURBO and EURO		500-182	No spacer for Turbo, 20mm spacer for Euro.
HONDA	CX650 TURBO	83 on	500-200	
HONDA	GL650		500-182	NONE
HONDA	GL650	82	500-083	
HONDA	GL650	83	500-097	
HONDA	HAWK GT650 / NT650 HAWK / BROS	88 on	500-011	Use Original
HONDA	NTV650 / REVERE	88 on	500-012	
HONDA	NX650/ NX650 DOMINATOR	88 on	500-103	NONE
HONDA	SLR650	96 on	500-090	
HONDA	XL650V Transalp		500-160	
HONDA	XR650L	93-04	500-120	10mm spacer required
HONDA	XR650R	00-04	500-150	20mm spacer required
HONDA	XRV650 AFRICA TWIN	88-92	500-076	
HONDA	VF700F	83	500-035	
HONDA	VT700C	85 <	500-006	
HONDA	VT700C(US)	86 on	500-035	
HONDA	700 INTERCEPTOR		500-143	Use Original
HONDA	700 NIGHT HAWK		500-015	122.5mm x 30
HONDA	700 SHADOW		500-035	Use Original
HONDA	VF700C MAGNA		500-008	Use Original
HONDA	VF700C MAGNA		500-035	Use Original
HONDA	VF700C MAGNA		500-196	Use Original
HONDA	VF700S SABRE		500-008	Use Original
HONDA	VFR700 INTERCEPTOR		500-196	Use Original
HONDA	750 INTERCEPTOR		500-143	Use Original
HONDA	750 SHADOW		500-035	Use Original
HONDA	750SHADOW ACE (American Classic Edition)	98-06	500-011	Shorten original to 30mm

Make	Model	Year	Ikon Part Nmbr	SPACER / COMMENT
HONDA	750 SHADOW AERO	04-09	500-011	
HONDA	750 SHADOW SPIRIT	01-06	500-011	Shorten original spacer to suit
HONDA	CB750 NIGHT HAWK		500-084	Use Original
HONDA	CB750 NIGHT HAWK / CB SEVEN FIFTY (RC42)	92-03	500-028	No spacer needed or shorten OE
HONDA	CB750A/C	76-82	500-083	Use Original
HONDA	CB750F	75-80	500-083	32.5mm x 25
HONDA	CB750F (25MM OD SPRING)	81 on	500-161	
HONDA	CB750F (28MM OD SPRING)		500-008	Use Original
HONDA	CB750K	69-82	500-083	32.5mm x 25
HONDA	CBX750F	84 on	500-159	
HONDA	V45 MAGNA / SABRE (750), VF750	82-83	500-172	Use Original
HONDA	VF750C MAGNA		500-196	Use Original
HONDA	VF750C MAGNA DELUXE / VF750C	93-03	500-121	Use Original
HONDA	VFR750 INTERCEPTOR	86-87	500-098	Use Original
HONDA	VFR750F	88-89	500-013	
HONDA	VFR750F	90-91	500-027	
HONDA	VFR750F	92-93	500-026	
HONDA	VFR750F	94-97	500-026	Original spacer is not needed.
HONDA	VFR750R	88-89	500-175	
HONDA	VT750C and Black Widow (see also 750 SHADOW above for other models in this range)	97-06	500-170	
HONDA	VT750 ACE with 32mm OD fork springs	03	500-035	
HONDA	XLV750R(+30MMHULSE)	83-85	500-076	
HONDA	XRV750 AFRICA TWIN	88-92	500-076	
HONDA	XRV750 AFRICA TWIN	93-01	500-076	
HONDA	800 SHADOW		500-035	Use Original
HONDA	VFR800 F1 RC46	98-01	500-030	
HONDA	VFR800F RC46	02 on	500-222	
HONDA	PC800 PACIFIC COAST	89-98	500-027	NONE
HONDA	CB900C	80-82	500-182	50mm x 28
HONDA	CB900F Bold'Or, 39 mm forks	80-82	500-143	NONE - Check spring diameter.
HONDA	CB900FA (DU=35MM) Bold'Or	80	500-176	

Make	Model	Year	Ikon Part Nmbr	SPACER / COMMENT
HONDA	CB900FB (DU=37MM) Bold'Or	81	500-145	
HONDA	CB900FC (DU=39MM) Bold'Or	82	500-104	
HONDA	CB900F 919cc engine	02-07	500-051	Shorten OE to 45mm
HONDA	CBR900RR SC28/ SC33	94-99	500-057	Use Original
HONDA	CB1000/S/F	92 on	500-051	Use Original
HONDA	CB1000C		500-143	Use Original
HONDA	CBR1000 HURRICANE / CBR1000F	87-88	500-121	NONE
HONDA	CBR1000F	89 on	500-113	Use Original
HONDA	CBX1000	79 on	500-162	12.5mm x 25mm
HONDA	CBX1000	81 on	500-163	NONE
HONDA	GL1000	75-76	500-182	DISC STD
HONDA	VF1000 / R / VF1000F / R / FII SC15, SC16	84 on	500-170	NONE
HONDA	VTR1000F FIRESTORM SC36	97-08	500-055	
HONDA	XL1000 V Varedo	99-03	500-229	
HONDA	XL1000 V Varedo	04-	500-037	
HONDA	1100SHADOW	85-86	500-011	Shorten OE spacer if required
HONDA	1100 SHADOW / ACE / SPIRIT,C2SC18,SC23,SC32	87-06	500-011	Shorten OE spacer if required
HONDA	CB1100F	83 on	500-143	NONE
HONDA	CB1100R (RC-Honda Australia)	82	500-008	
	CB1100RB	81	500-145	OEM 610mm x 28mm
HONDA	CB1100RC	80	500-207	
HONDA	CB1100RD(METALLIC)	83	500-065	
HONDA	CBR1100XX BLACKBIRD	97 on	500-045	
HONDA	GL1100 GOLDWING	81 on	500-143	
HONDA	ST1100 models without ABS	90-02	500-147	This particular bike has two different fork legs. The left fork leg requires the stock fork spacer to be shortened to approx 83mm. The right fork leg requires the stock spacer to be removed and discarded. No spacer is needed in the right fork leg.
HONDA	ST1100 ABS	92-95	500-147	Spacer length must be calculated according to the general instructions included with the fork springs.
HONDA	ST1100 PAN EUROPEAN without ABS	91-02	500-146	
HONDA	ST1100 PAN EUROPEAN with ABS / TCS	91-95	500-147	
HONDA	V65 MAGNA / VF1100C	83 on	500-093	Use Original
HONDA	V65 MAGNA		500-003	140mm x 34

Make	Model	Year	Ikon Part Nmbr	SPACER / COMMENT
HONDA	VT1100C(US)	87 on	500-085	
HONDA	VT1100C2	93 on	500-206	
HONDA	VT1100 AERO, ACE, SABRE, SHADOW, SPIRIT	98-06	500-003	Shorten OE spacer to 75mm
HONDA	GL 1200 GOLDWING	84-87	500-106	Use Original
HONDA	CB 1300 SC40	98-03	500-262	Fork oil SAE10, Air gap 160mm
HONDA	VTX1300S	03-08	500-027	Shorten original spacer
HONDA	CB 1400	89 on	500-012	NONE
HONDA	GL1500GOLDWING	88-00	500-106	
HONDA	GL1800 Goldwing	01-08	500-051	Shorten original spacer by 45mm
HONDA	VTX1800,C,F,N,R,S,T	02-08	500-001	
HUSQVARNA	CONVENTIONAL 40MM FORKS	ALL	500-195	67mm x 32
HUSQVARNA	WHITE POWER SUPER ADJUST	ALL	500-078	25% HEAVIER
INDIAN	SCOUT	14-15	500-931	Shorten original spacer or spacer supplied to 60mm
KAWASAKI	H1andH2	72-75	500-056	Original spring and spacer is approx 458mm.
KAWASAKI	KX125	91-92	500-080	NONE
KAWASAKI	KDX200	83-85	500-197	250mm x 31
KAWASAKI	250NINJA	86-87	500-091	14mm x 27
KAWASAKI	250NINJA	88-04	500-008	Shorten original spacer
KAWASAKI	EL250	91 on	500-180	
KAWASAKI	GPX250	96-98	500-015	500-015 requires a 75mm x 30mm spacer,
KAWASAKI	KLR250/KLR250R	84-04	500-221	NONE
KAWASAKI	KLX250	79-80	500-221	250mm x 29
KAWASAKI	KLX250	94-96	500-204	
KAWASAKI	KX250	91-92	500-080	NONE
KAWASAKI	ZXR400 (UPSD 41MM)	91 on	500-088	
KAWASAKI	EX500	87-93	500-008	None
KAWASAKI	EX500	94-04	500-008	None with 008, may also use 500-040 for heavier duty purposes. A20mm spacer is needed with 040 by shortening the OE one.
KAWASAKI	ER5	96-00	500-077	
KAWASAKI	ER5	01-05	500-196	Shorten original spacer by approx 40mm
KAWASAKI	ER-6		500-113	Shorten original spacer to approx 40mm
KAWASAKI	KLE500	91 on	500-116	

Make	Model	Year	Ikon Part Nmbr	SPACER / COMMENT
KAWASAKI	GPZ500SA1-A6	87-93	500-008	
KAWASAKI	GPZ500S	94-96	500-015	
KAWASAKI	KX500	91-92	500-080	NONE
KAWASAKI	KZ500 / Z500 B3	1981	500-145	
KAWASAKI	550ZEPHYR	90-91	500-196	Use Original
KAWASAKI	550ZEPHYR	92 on	500-014	
KAWASAKI	GPZ550	81-86	500-161	Some models require no spacer, or 45mm and others 75mm.
KAWASAKI	GPZ550	81-86	500-161	Some models require no spacer, or 45mm and others 75mm.
KAWASAKI	KZ550LTD/SPECTRE	80-83	500-083	250mm x 25
KAWASAKI	Z550F	83 on	500-203	
KAWASAKI	KZ550A	80-83	500-083	250mm x 25
KAWASAKI	600NINJA/GPZ600R	85 on	500-097	NONE
KAWASAKI	600NINJA/GPX600R	88 on	500-097	DISC STD
KAWASAKI	KLR600/E	84 on	500-148	
KAWASAKI	ZL600	85-87	500-127	DISC STD
KAWASAKI	ZX-6-D	90-93	500-003	NONE
KAWASAKI	ZX6RRACING	95-97	500-067	
KAWASAKI	ZX6RSTRASSE-NINJA	98-99	500-139	
KAWASAKI	ZX6R	00-01	500-119	
KAWASAKI	ZZR600	90-92	500-019	
KAWASAKI	ZZR600	93 on	500-018	
KAWASAKI	CSR650	82-83	500-083	250mm x 25
KAWASAKI	KLR650	87-07	500-148	KL650A and KL650B frames.
KAWASAKI	KLR650	08	500-110	
KAWASAKI	KLR650 TENGAI A & B series frames	87-94	500-148	
KAWASAKI	KLR650 / TENGAI	95 on	500-110	KL650C frames
KAWASAKI	KLR650E	09 on	500-110	Remove original spacer
KAWASAKI	KLX650C	92-96	500-150	
KAWASAKI	KLX650R	92-96	500-150	
KAWASAKI	KZ650	77-83	500-083	NONE
KAWASAKI	W650	99-10	500-066	NONE - remove OE 110mm spacer
KAWASAKI	Z650B	81	500-161	

Make	Model	Year	Ikon Part Nmbr	SPACER / COMMENT
KAWASAKI	KZ650SR	78-79	500-083	250mm x 25
KAWASAKI	750 NINJA / GPX750R (F1-F3)	87-91	500-196	Use Original, Fork oil SAE 7.5, 140mm air gap
KAWASAKI	750 TURBO / GPZ750T	83 on	500-185	17mm x 27
KAWASAKI	750 ZEPHYR	91 on	500-003	Use Original- Delete std
KAWASAKI	GPZ750	82	500-083	32.5mm x 25
KAWASAKI	GPZ750 / GPZ750ZX (UT)	83 on	500-083	18mm x 25
KAWASAKI	GPZ750R	84-86	500-127	
KAWASAKI	KZ750 (TWO CYLINDER)	76-80	500-083	100mm x 25
KAWASAKI	Z750B (TWO CYLINDER)	83 on	500-178	
KAWASAKI	KZ750E / H / Z750	80-83	500-083	100mm x 25
KAWASAKI	Z750	83 on	500-083	
KAWASAKI	Z750LTD	80 on	500-115	
KAWASAKI	Z750 (ZR750J)	04 on	500-258	
KAWASAKI	VN750 VULCAN	85-04	500-008	Re-use original
KAWASAKI	VN750	91-92	500-008	Use Original
KAWASAKI	VN750	93-04	500-008	Use Original
KAWASAKI	ZR7 (ZR750F)	99-03	500-028	
KAWASAKI	ZX-7 NINJA / ZXR750	89-90	500-128	NONE
KAWASAKI	ZXR750 (upside down fork 43MM OD)	91-92	500-017	
KAWASAKI	ZXR750(upside down fork 41MM OD)	93on	500-016	
KAWASAKI	ZXR750R(upside down fork 41MM OD)	91-94	500-016	
KAWASAKI	ZX7R NINJA	96 on	500-034	
KAWASAKI	ZX7RR NINJA	96 on	500-017	
KAWASAKI	VN800 Vulcan Classic / Drifter	95-05	500-106	37 x 34mm
KAWASAKI	W800	11-12	500-066	
KAWASAKI	900 NINJA,ZX900A,GPZ900R	84-86	500-185	100mm x 27
KAWASAKI	KZ900 / LTD	74-75	500-061	NONE
KAWASAKI	Z900(Z1)	73-80	500-061	NONE
KAWASAKI	ZL900 ELIMINATOR	85 on	500-123	NONE
KAWASAKI	GPZ900RZ (D=38MM)	84-86	500-094	
KAWASAKI	GPZ900RZ (D=38MM)	87-89	500-094	
KAWASAKI	GPZ900R (D=41MM)	90 on	500-011	

Make	Model	Year	Ikon Part Nmbr	SPACER / COMMENT
KAWASAKI	ZX9R NINJA	94-97	500-030	
KAWASAKI	ZX9R NINJA	98 on	500-139	
KAWASAKI	Z1R	76-80	500-061	NONE
KAWASAKI	1000 NINJA	86-87	500-196	20mm x 30
KAWASAKI	KZ1000	77-82	500-061	NONE
KAWASAKI	1000 LTD	77-80	500-061	NONE
KAWASAKI	KZ1000 CSR / LTD	81-82	500-008	65mm x 28
KAWASAKI	KZ1000 J / R	81-83	500-008	15mm x 28
KAWASAKI	KZ1000 ST	79-81	500-015	200mm x 30
KAWASAKI	Z1000A1	78 on	500-083	
KAWASAKI	Z1000A2	78 on	500-061	
KAWASAKI	Z1000 MK2	79 on	500-061	
KAWASAKI	ZL1000 ELIMINATOR	87	500-185	30mm x 27
KAWASAKI	ZX-10 NINJA	88-90	500-102	NONE
KAWASAKI	GTR 1000	86 on	500-101, 500-143	500-143 is considered to be an even heavier duty option
KAWASAKI	GPZ1000 RX	86-89	500-049	
KAWASAKI	GPZ1100	82	500-008	NONE
KAWASAKI	GPZ1100	83	500-200, 500-094	100mm x 29
KAWASAKI	KZ1100 (SHAFT) / Z1100 SPECTRE	81-83	500-205, 500-008	NONE, If using 500-008 a spacer will be required of upto 75mm.
KAWASAKI	GPZ1100	95 on	500-039	
KAWASAKI	ZN1100 LTD	84-85	500-008	80mm x 28
KAWASAKI	ZR1100 / 1100 ZEPHYR	92-97	500-063	NONE
KAWASAKI	ZX-11-C/ZZR1100(C1-3)	90-92	500-071, 500-169	NONE
KAWASAKI	ZX-11-D/ZZR1100(D1-9)	93-01	500-020, 500-169	USE ORIGINAL
KAWASAKI	ZRX1100	97-00	500-169	
KAWASAKI	ZRX1200	00-03	500-054	
KAWASAKI	ZRX1200	04-08	500-169	

Make	Model	Year	Ikon Part Nmbr	SPACER / COMMENT
<b>KAWASAKI</b>	ZX12R	00-	500-256	
<b>KAWASAKI</b>	ZZR1200 (ZX20C)	02 on	500-030	
<b>KAWASAKI</b>	KZ1300,Z1300	79-90	500-143	20mm x 30
<b>KAWASAKI</b>	VN1500 VULCAN / SE / L	88 on	500-003	USE ORIGINAL
<b>KAWASAKI</b>	VN1500 VULCAN CLASSIC	96-04	500-003	27mm x 34
<b>KAWASAKI</b>	VN1500 VULCAN NOMAD	98-01	500-102, 500-027	70mm x 34 when using 500-102, 85mm x 34 when using 500-027
<b>KAWASAKI</b>	VN1500 Mean Streak	02-03	500-050, 500-051	Shorten original spacers by approx 25mm.
<b>KAWASAKI</b>	VN1500 VULCAN DRIFTER	99-04	500-147	SHORTEN ORIGINAL 100mm SPACER by 10mm
<b>KAWASAKI</b>	VN1600 Mean Streak	04	500-050, 500-051	Shorten original spacers by approx 25mm.
<b>KAWASAKI</b>	VN1600 Vulcan Classic	03-07	500-051	Re-use original spacer - check spacer length.
<b>KAWASAKI</b>	VN2000	04-	500-240	
<b>KTM</b>	WHITE POWER SUPER ADJUST	ALL	500-078	25% HEAVIER
<b>LAVERDA</b>	750S	99 on	500-088	
<b>LAVERDA</b>	1000 Jota		500-144	Additional parts may be required for these springs to fit into the forks. Please call or email Ikon Suspension before ordering if you need further information.
<b>LAVERDA</b>	1200 with Ceriani forks	74-77	500-144	
<b>MAICO</b>	WHITE POWER SUPER ADJUST	ALL	500-078	25% HEAVIER
<b>MAICO</b>	250/400/490	81-83	500-013	250mm x 35mm
<b>MARZOCCHI</b>	38MM M1R		500-127	
<b>MARZOCCHI</b>	38MM (L.GABEL=775MM)		500-151	
<b>MARZOCCHI</b>	40MM M1R		500-207	
<b>MARZOCCHI</b>	40MM (L.GABEL=775MM)		500-058	
<b>MARZOCCHI</b>	42MM (OD=41.7MM)		500-207	
<b>Moto Guzzi</b>	QUOTA MARZOCCHI	91 on	500-121	
<b>Moto Guzzi</b>	Breva 750ie	03 on	500-025	
<b>Moto Guzzi</b>	V7 Classic, Stone	08-	500-025	
<b>Moto Guzzi</b>	1100 SPORT	96	500-019	
<b>Moto Guzzi</b>	V11 Sport - 40mm Marzocchi forks USD	98-01	500-062	
<b>Moto Guzzi</b>	V65 Lario TT	85	500-094	

Make	Model	Year	Ikon Part Nmbr	SPACER / COMMENT
<b>Moto Guzzi</b>	Jackal	01 on	500-009	
<b>Moto Guzzi</b>	1000 S, Mille GT, SP3, 850T5, California 3, Le Mans 1000 with 40mm Forks only		500-933	
<b>MOTO MORINI</b>	Camel 500		500-198	
<b>MUZ</b>	SCORPION SPORT(CUP97)		500-002	
<b>MUZ</b>	SCORPION SPORT	93 on	500-012	
<b>MV AUGUSTA</b>	America 750S	78	500-097, 500-196	500-196 is an even heavier duty option
<b>NORTON</b>	750 / 850 Commando	72-75	500-083	NONE
<b>ROYAL ENFIELD</b>	500cc		500-212	
<b>SACHS</b>	Mad ASS 50	04 on	500-006	
<b>SACHS</b>	Roadster 800	00 on	500-025	
<b>SUZUKI</b>	RG125	93 on	500-073	
<b>SUZUKI</b>	RM125	82-83	500-197	250mm x 31
<b>SUZUKI</b>	PE175	82-84	500-197	250mm x 31
<b>SUZUKI</b>	PE250	80	500-220	35x25mm
<b>SUZUKI</b>	RG250W	87 on	500-127	
<b>SUZUKI</b>	RGV250	89-90	500-010	
<b>SUZUKI</b>	RGV250	91	500-088	
<b>SUZUKI</b>	RGV250VJ22B	92 on	500-201	
<b>SUZUKI</b>	TS250X	84	500-197	Shorten original spacer to 61mm
<b>SUZUKI</b>	Volty 250		500-094	10mm x 29mm
<b>SUZUKI</b>	DR350	90-93	500-043	48.25mm x 36
<b>SUZUKI</b>	DR350S	89 on	500-043	48.25mm x 36
<b>SUZUKI</b>	DR350S/SE	92-97	500-043	48.25mm x 36
<b>SUZUKI</b>	DR350SE	98-99	500-204	25x37mm
<b>SUZUKI</b>	DR-Z400/E	00-07	500-244	
<b>SUZUKI</b>	DR-Z400S	00-01	500-244	
<b>SUZUKI</b>	DR-Z400S	02-08	500-244	
<b>SUZUKI</b>	GS400	77-78	500-096	NONE
<b>SUZUKI</b>	GSF400 BANDIT	89 on	500-021	
<b>SUZUKI</b>	GSX400E (TWIN)	80 on	500-183	

Make	Model	Year	Ikon Part Nmbr	SPACER / COMMENT
<b>SUZUKI</b>	GSX400F (FOUR)	81 on	500-183	
<b>SUZUKI</b>	GSXR400	91 on	500-031	
<b>SUZUKI</b>	GSX400X / IMPULSE	86-88	500-094	
<b>SUZUKI</b>	GS425	79	500-096	NONE
<b>SUZUKI</b>	GS450	80-83	500-096	NONE
<b>SUZUKI</b>	DR500S	83 on	500-007	
<b>SUZUKI</b>	GS500E, GM51 B / A frames	89-13	500-066	Discard original spacer except where original spring and spacer are longer than 520mm. For those springs shorten the original spacer.
<b>SUZUKI</b>	RG500 GAMMA	85 on	500-195	DISC STD
<b>SUZUKI</b>	RM500	83-84	500-043	250mm x 36
<b>SUZUKI</b>	GS550	77-80	500-083	NONE
<b>SUZUKI</b>	GS550 E / ES	83-86	500-008	NONE
<b>SUZUKI</b>	GSX550 ES / EF	83on	500-040	
<b>SUZUKI</b>	600 KATANA	88-98	500-003	Use Original
<b>SUZUKI</b>	600 KATANA	98-04	500-102	Shorten original to suit
<b>SUZUKI</b>	DR600/S	85 on	500-194	
<b>SUZUKI</b>	GSF600 BANDIT	95 on	500-003	Use Original
<b>SUZUKI</b>	GSX600F	88-90	500-214	500-012 + 25MM spacer is a good alternative
<b>SUZUKI</b>	GSX600F	91-97	500-088	
<b>SUZUKI</b>	GSX600F	98 on	500-134	
<b>SUZUKI</b>	GSXR600	97 on	500-119	
<b>SUZUKI</b>	RF600R	93 on	500-022	
<b>SUZUKI</b>	VS600	95 on	500-044	
<b>SUZUKI</b>	AN650 Burgman scooter	upto 08	500-030	Shorten original spacer to 145mm.
<b>SUZUKI</b>	DL650 V-Storm, WVB1	04-	500-063	Remove original spacer
<b>SUZUKI</b>	DR650S	90-95	500-110, 500-087	No spacer required with 500-110, Some models may have a 32.9mm fork spring. If so use 500-087 and shorten the original spacer to suit.
<b>SUZUKI</b>	DR650SE (SP46B)	96-11	500-043	
<b>SUZUKI</b>	DR650R/RS	90-92	500-109	
<b>SUZUKI</b>	DR650R	93-04	500-110	
<b>SUZUKI</b>	GR650	83	500-061	NONE
<b>SUZUKI</b>	GS650E	81	500-061	NONE

Make	Model	Year	Ikon Part Nmbr	SPACER / COMMENT
SUZUKI	GS650G/GL	81-83	500-083	100mm x 25
SUZUKI	GS650 KATANA	81 on	500-083	
SUZUKI	LS650 SAVAGE	91 on	500-049, 500-014	500-014 is a heavier duty option
SUZUKI	SV650/S	99-02	500-201	Use Original
SUZUKI	SV650N	03 on	500-002, 500-019, 500-146	when using 500-019 or 500-146 will need a 10mm long x 35mm dia meter spacer
SUZUKI	XF650 FREEWIND	97on	500-046	
SUZUKI	DR750	89-90	500-194	
SUZUKI	GS700E/ES		500-008	80mm x 28
SUZUKI	VS700 INTRUDER		500-008	40mm x 29
SUZUKI	750 KATANA		500-003	DISCSTD
SUZUKI	750 KATANA		500-102	Use Original
SUZUKI	GS750 KATANA, (USA)	83	500-185	100mm x 27
SUZUKI	GS750 E/L	77-82	500-061	NONE
SUZUKI	GS750 E/ES	83-85	500-008	80mm x 28
SUZUKI	GSX750	98 on	500-216	
SUZUKI	GSX750E	80	500-181	
SUZUKI	GSX750ES	83 on	500-211	
SUZUKI	GSX750EF	83 on	500-212	
SUZUKI	GSX750EZ MAD		500-083	
SUZUKI	GSX750F	89-97	500-028	
SUZUKI	GSX750F	98-08	500-134	Re-Use original spacer
SUZUKI	GSX750L	84 on	500-162	
SUZUKI	GSX750R	85-87	500-129	
SUZUKI	GSX750S KATANA GR71 A	79 on	500-185	
SUZUKI	GSXR750, GR75 A	85-87	500-129, 500-093	37mm x 34 to be used with 500-093.
SUZUKI	GSXR750	88-89	500-050	Use Original
SUZUKI	GSXR750(UPSD41MM)	90-92	500-031	
SUZUKI	GSXR750(UPSD41MM)	93	500-031	

Make	Model	Year	Ikon Part Nmbr	SPACER / COMMENT
SUZUKI	GSXR750(UPSD43MM)	94-95	500-032	
SUZUKI	GSXR750(UPSD43MM)	96 on	500-070	
SUZUKI	GSXR750R	89	500-050	
SUZUKI	GT750	73-77	500-083	Spacer of upto 65mm may be needed.
SUZUKI	VS750 INTRUDER models with 35mm forks	86 on	500-196	Use Original
SUZUKI	DR800S	89-90	500-194	Fork oil SAE 7.5. Air gap 160mm
SUZUKI	DR800S	91 on	500-111	
SUZUKI	VL800 Volusia	02-08	500-024	Some models may need 120mm x 35mm spacer.
SUZUKI	VS800 INTRUDER	92 on	500-196	Use Original
SUZUKI	VS800 Boulevarde,S50	92-08	500-196	Use Original
SUZUKI	VX800	89 on	500-196	Use Original
SUZUKI	GS850G/L	83	500-185	Use Original
SUZUKI	RF900RS2	95 on	500-017	
	DL1000V-Strom	02	500-071	Re-use original 50mm spacer
SUZUKI	DL1000V-Strom	04-09	500-050	To be checked.
SUZUKI	GS1000E/S	78 on	500-083	NONE
SUZUKI	GS1000KATANA	82	500-083	NONE
SUZUKI	GS1000G	81 on	500-185	100mm x 27
SUZUKI	SV1000,SV1000S	03-06	500-139	
SUZUKI	TL1000S	97 on	500-092	
SUZUKI	1100 KATANA	88-93	500-003	Use Original
SUZUKI	GS1100E	80-81	500-185	47mm x 27
SUZUKI	GS1100E	82-83	500-185	NONE
SUZUKI	GS1100G	81on	500-083	DISC STD
SUZUKI	GS1100GK	82-84	500-196	23.75mm x 30
SUZUKI	GS1100L	82-83	500-185	100mm x 27
SUZUKI	GSX1100G	91-93	500-037	Re-use original
SUZUKI	GSX1100EF	84on	500-211	
SUZUKI	GSX1100ES	83on	500-161	
SUZUKI	GSX1100EZ	82-83	500-211	
SUZUKI	GSX1100F/KATANA	upto 88	500-023	
SUZUKI	GSX1100F	89-93	500-129	

Make	Model	Year	Ikon Part Nmbr	SPACER / COMMENT
<b>SUZUKI</b>	GSX1100F	94on	500-177	
<b>SUZUKI</b>	GSX1100F	91on	500-050	
<b>SUZUKI</b>	GSX1100S KATANA, (GSX1100EX 1981)	80 on	500-185	
<b>SUZUKI</b>	GSXR1100	86-88	500-082, 500-027	NONE, 500-027 is a very heavy duty option. 500-102 may also be an option.
<b>SUZUKI</b>	GSXR1100	89-90	500-050	NONE
<b>SUZUKI</b>	GSXR1100(UPSD41MM)	90-92	500-016	
<b>SUZUKI</b>	GSXR1100	93-94	500-033	
<b>SUZUKI</b>	GSXR1100	95 on	500-034	
<b>SUZUKI</b>	GS1150	84-86	500-185	22mm x 27
<b>SUZUKI</b>	1200 BANDIT / GSF1200 BANDIT GV75A	96-00	500-051	Use Original, may also use 500-050.
<b>SUZUKI</b>	1200/S BANDIT WVA9	01-05	500-051	Use Original
<b>SUZUKI</b>	GSX1300R HYABUSA	99 on	500-223	
<b>SUZUKI</b>	GSX1400 (WVBN)	01-	500-057	Shorten original spacer by 8mm
<b>SUZUKI</b>	VS1400 INTRUDER	87-04	500-035	NONE
<b>SUZUKI</b>	VL1500 INTRUDER LC	98-04	500-003	21mm x 34
<b>TRIUMPH</b>	T120	70-72	500-091	14mm x 27mm spacer needed in some forks
<b>TRIUMPH</b>	T140	73-83	500-091	14mm x 27mm spacer needed in some forks
<b>TRIUMPH</b>	TR120	72-73	500-091	14mm x 27mm spacer needed in some forks
<b>TRIUMPH</b>	TR6	71-72	500-091	14mm x 27mm spacer needed in some forks
<b>TRIUMPH</b>	T150 / T160		500-211	37mm x 27mm spacer
<b>TRIUMPH</b>	Daytona T595 - 955i	97-04	500-057	
<b>TRIUMPH</b>	Daytona 955i	05-	500-057	
<b>TRIUMPH</b>	BONNEVILLE (NEW)	01-15	500-106	12mm x 34 Shorten original spacer. OEM nr T2047110
<b>TRIUMPH</b>	BONNEVILLE AMERICA and SPEEDMASTER	02-15	500-027	Shorten original spacer to suit. Original spring is approx 450mm long with 182mm spacer. The spacer should be cut to 150mm-155mm. For 2011-2015 models the original spacer is 310mm long over a 305mm long spring. On those models shorten the spacer to 135mm
<b>TRIUMPH</b>	TRIDENT 750	92 on	500-121	
<b>TRIUMPH</b>	DAYTONA 900	91 on	500-128	
<b>TRIUMPH</b>	DAYTONA SUPER 111	94 on	500-128	
<b>TRIUMPH</b>	DAYTONA SPEED TRIPLE	94 on	500-128	

Make	Model	Year	Ikon Part Nmbr	SPACER / COMMENT
TRIUMPH	ROCKETIII	04-12	500-259	Heavier duty springing for riders who like a firmer ride or are loading more than 90kg onto the bike more than 50% of the time at STANDARD height
TRIUMPH	Scrambler	05-12	500-106	
TRIUMPH	Speed TripleT509, 955i	97-04	500-057	
TRIUMPH	Speed Triple1050-515NJ	05 on	500-009	
TRIUMPH	900 SPRINT	95 on	500-187	
TRIUMPH	Sprint ST 955i T695	99-04	500-128	
TRIUMPH	Sprint ST 1050 215NA	05-	500-068	
TRIUMPH	THUNDERBIRD,T309RT	95 on	500-186	
TRIUMPH	THUNDERBIRD Sport, with adjustable rebound damping.T309RT,RD309	97 on	500-054	
TRIUMPH	THUNDERBIRD (cruiser style models)	10-12	500-936	Shorten original spacer to 40mm
TRIUMPH	THRUXTON	04-12	500-113	Shorten original spacer to suit. Suggested length is 35mm. OEM nr T2049022
TRIUMPH	TIGER T400	93-98	500-046	
TRIUMPH	TIGER T709T	99-01	500-230	
TRIUMPH	TIGER 955i 709EN / 795	01-04		
TRIUMPH	TIGER 955i 709EN	05-06	500-037	Shorten original spacer (185mm) to suit.
TRIUMPH	TIGER 1050(115NG)	07-10	500-089	
TRIUMPH	TRIDENT900	92 on	500-121	Do not re-use original spacer
TRIUMPH	TROPHY900	92 on	500-187, 500-128	When using 500-128 a 37x60mm spacer is required
TRIUMPH	DAYTONA1200	91 on	500-128	
TRIUMPH	TROPHY1200	92 on	500-187	
YAMAHA	TZR125	96 on	500-073	
YAMAHA	RD250	80-82	500-183	
YAMAHA	RZ250(29L)	83	500-091	14mm x 27mm
YAMAHA	RZ250	84	500-172	15mm x 28.3mm
YAMAHA	SRX250		500-091	14mm x 27mm
YAMAHA	TDR250	88 on	500-123, 500-094	500-094 requires a 24mm x 29mm spacer
YAMAHA	TZ250	92 on	500-184	
YAMAHA	TZR250R/SP	91 on	500-201	

Make	Model	Year	Ikon Part Nmbr	SPACER / COMMENT
YAMAHA	XT250		500-221	250mm x 29
YAMAHA	XV250(VIRAGO)	89 on	500-091	
YAMAHA	YP250 MAJESTY	97-99	500-052	
YAMAHA	YZ250 Upside Down Forks	01	500-252	
YAMAHA	RD350LC	80-82	500-183	
YAMAHA	RD350YPVS	83-85	500-126	
YAMAHA	RD350F/YPVS	86 on	500-190	500-185 40 x 27 mm spacer
YAMAHA	RZ350(31K)	84-86	500-091	14mm x 27
YAMAHA	XT350 (+25MM HULSE)	85 on	500-221	
YAMAHA	TT350	86-95	500-090	250mm x 35.Spring needs to be something like 570mm x 35mm. Rates 3.5N/mm to 6.0N/mm
YAMAHA	FZR400	88-90	500-196	55mm x 30
YAMAHA	FZR400RR	90-92	500-187	
YAMAHA	FZR400SP		500-088	
YAMAHA	RD400	76-79	500-181	Remove Original - none required with these springs
YAMAHA	SR400	77 on	500-105, 500-181	
YAMAHA	SRX400	85-89	500-192	
YAMAHA	XS400SE	80-81	500-181	
YAMAHA	XS400DOHC	82 on	500-203	
YAMAHA	500VIRAGO		500-084	Use Original
YAMAHA	RD500LC,RZ500	84 on	500-123, 500-094	500-094 requires a 24mm x 29mm spacer
YAMAHA	RZ500		500-008	Use Original
YAMAHA	SR500	78 on	500-105, 500-181	
YAMAHA	TT500	76-78	500-091	14mm x 27
YAMAHA	TT500	79-81	500-091	83mm x 27
YAMAHA	XT500	78-79	500-140	
YAMAHA	XT500	81	500-140	30mm x 26.5MM
YAMAHA	XT500Hmodel	82	500-105	OE is 25.5mm OD, 505mm long with 39mm spacer, tube ID = 26mm
YAMAHA	535VIRAGO/XV535	89 on	500-191	
YAMAHA	550MAXIM		500-061	20mm x 25

Make	Model	Year	Ikon Part Nmbr	SPACER / COMMENT
YAMAHA	550SECA	81-83	500-091	14mm x 27
YAMAHA	550VISION		500-061	DISC STD
YAMAHA	XJ550	81 on	500-190	
YAMAHA	XZ550/S	82 on	500-115	
YAMAHA	FJ600		500-040	
YAMAHA	FZ600		500-040	
YAMAHA	FZR600		500-196	Use Original
YAMAHA	FZR600GENESIS	88-93	500-065	
YAMAHA	FZR600 GENESIS	94	500-036	
YAMAHA	FZR600 GENESIS	95 on	500-068	
YAMAHA	FZR600R SSP	94 on	500-036	
YAMAHA	FZS600 FAZER RJ02	98-03	500-088	
YAMAHA	SECA II	92-98	500-196	Use Original
YAMAHA	SRX600	85-89	500-192	
YAMAHA	SRX600	90 on	500-065	
YAMAHA	TT600	83-86	500-043	250mm x 36mm
YAMAHA	TT600 / E / R - 4LW, 4GV, DJ01	93 on	500-080	
YAMAHA	TT600 / E / R - 4LW, 4GV, DJ01	93 on	500-079	Linear 3.6 N/mm spring
YAMAHA	XJ600	84 on	500-127	
YAMAHA	XJ600 S / N DIVERSION	91-97	500-049	
YAMAHA	XJ600S DIVERSION (DU=41MM)	98 on	500-055	
YAMAHA	XT600	84	500-099	250mm x 35mm
YAMAHA	XT600 E / K	90-02	500-160	
YAMAHA	XT600Z	84-85	500-099	
YAMAHA	XT600Z	86-87	500-100	
YAMAHA	XT600Z Tenere; 3AJ	88 on	500-160	
YAMAHA	YX600 RADIAN	86 on	500-094	
YAMAHA	YZF600 THUNDERCAT	96	500-060	
YAMAHA	YZF600 R6, not upside down forks	98-05	500-219	OEM spacer = 100mm x 37mm
YAMAHA	650 SECA		500-083	38mm x 25mm
YAMAHA	V-STAR CLASSIC (XVS650)	97 on	500-003	Use Original shortened to 23mm
YAMAHA	XJ650 / MAXIM	80 on	500-084	Use Original Can also use 500-083 plus spacer

Make	Model	Year	Ikon Part Nmbr	SPACER / COMMENT
YAMAHA	XJ650 TURBO		500-084	Use Original Can also use 500-083 plus spacer
YAMAHA	XS650 TWIN	76 on	500-181	
YAMAHA	XVS650	97 on	500-107	
YAMAHA	SZR660	96 on	500-022	
YAMAHA	XTZ660		500-111	
YAMAHA	XT660R Enduro DM01	04 on	500-048	
YAMAHA	XT660X DM01	04 on	500-048	
YAMAHA	700 VIRAGO		500-008	Use Original
YAMAHA	FZ700		500-196	100mm x 30mm
YAMAHA	FZX700 FAZER		500-084	14mm x 27mm
YAMAHA	XJ700 X MAXIM		500-008	Use Original
YAMAHA	XJ 750 MAXIM		500-185	Use Original
YAMAHA	750 SECA		500-084	58mm x 27mm
YAMAHA	750 VIRAGO / XV750		500-084	64mm x 27mm
YAMAHA	750 VIRAGO / XV750		500-008	Use Original
YAMAHA	FZ750	85-86	500-196	Use Original
YAMAHA	FZ750	87-89	500-196	100mm x 30mm
YAMAHA	FZ750 GENESIS	87 on	500-101	
YAMAHA	FZR750	87-88	500-003	
YAMAHA	FZR750R	88-92	500-086	
YAMAHA	FZXR750 FAZER	86 on	500-123	
YAMAHA	XJ750	82-83	500-123	
YAMAHA	XJ750/F	84 on	500-123, 500-182	500-182 is a heavier duty option and requires a spacer upto 30mm.
YAMAHA	XJ750 SECA	81on	500-007	
YAMAHA	XS750 SPECIAL(TRIPLE)	77-79	500-185	110MM X 27mm
YAMAHA	XS750	79 on	500-185	Fork oil SAE15, Air gap 160mm
YAMAHA	XTZ750	89-96	500-046	
YAMAHA	XV750		500-127	
YAMAHA	VX750SE	81 on	500-193	
YAMAHA	YZF750R	93 on	500-018	
YAMAHA	YZF750SP	93 on	500-018	

Make	Model	Year	Ikon Part Nmbr	SPACER / COMMENT
YAMAHA	XS850STD(TRIPLE)		500-185	10mm x 27mm
YAMAHA	XS850 SPECIAL (TRIPLE)	80-81	500-161	80mm x 27mm
YAMAHA	TDM850	91-95	500-024	
YAMAHA	TDM850	96-01	500-048	
YAMAHA	TRX850-4UN (Europe)	96-99	500-047	
YAMAHA	TDM900	04 on	500-051	Shorten original spacer
YAMAHA	900 SECA		500-172	10mm x 28mm
YAMAHA	XJ900M.AD	83-84	500-061	
YAMAHA	XJ900O.AD, 37mm Fork Tube	85 on	500-008	
YAMAHA	XJ900S (DIVERSION)	92	500-106	Shorten Spacer to approximately 30mm
YAMAHA	XJ900S DIVERSION 4KM	94-95	500-058	500-082+20mm x 33.5mm spacer
YAMAHA	XJ900S DIVERSION 4KM	96-03	500-059	500-106 - SHORTEN O.E. SPACER TO 30MM
YAMAHA	920 VIRAGO	80-83	500-084	35mm x 26mm spacer
YAMAHA	1000 VIRAGO	84-85	500-008	Use Original
YAMAHA	FZR1000	86-88	500-086	
YAMAHA	FZR1000 EX UP	89-90	500-037	
YAMAHA	FZR1000	91-93	500-038	
YAMAHA	FZR1000	94 on	500-039	
YAMAHA	TR1 XV1000	81 on	500-084	35mm x 26mm spacer
YAMAHA	YZF1000 THUNDERACE	96-00	500-081	
YAMAHA	YZF1000 R1	98on	500-189	
YAMAHA	1100 MAXIM	82	500-008	78mm x 28mm
YAMAHA	1100 VIRAGO / XV1100 USA	86-99	500-094, 500-127	Re-use original spacer. SAE 10 fork oil. Air Gap 180mm
YAMAHA	FJ1100	84-85	500-082	DISC STD, may also use 500-027
YAMAHA	FJ1100	86-87	500-082	
YAMAHA	XS1100 STD	78-80	500-161	
YAMAHA	XS1100 SPECIAL	79-81	500-161	80MM X 27mm
YAMAHA	XS1100S	81 on	500-007	Heavier duty option 500-145 plus 40mm x 27mm spacer
YAMAHA	XVS1100 VP5 Drag Star, VStar-Custom / Classic	99-10	500-088, 500-064	When using 500-064 shorten original spacer. Extra heavy duty use 500-030 and shorten original spacer
YAMAHA	XVS1100 \ VP5 Drag Star Classic	00 on	500-298	

Make	Model	Year	Ikon Part Nmbr	SPACER / COMMENT
YAMAHA	FJ1200	85-90	500-082, 500-027, 500-102	500-082 is the primary listing for this application but any of the others will also give good results. 500-102 is best for heavier riders or riding conditions.
YAMAHA	FJ1200	91 on	500-003	15mm x 34mm
YAMAHA	V-MAX1200	85-92	500-025	USE STD
YAMAHA	V-MAX1200	93 on	500-050	USE STD
YAMAHA	VENTURE / ROYAL		500-065	
YAMAHA	ROYAL STAR		500-051	176MM X 37mm
YAMAHA	ROAD STAR		500-051	170MM X 37mm
YAMAHA	XJR1200	94 on	500-051	
YAMAHA	XJR1200SP (Kenny Roberts REPLICA)	96 on	500-054	
YAMAHA	XJR1200 with adjustable compression and rebound (Japanese domestic model)	95 on	500-128	
YAMAHA	FJR1300 RP04, RP08, RP11, RP13	01-08	500-276	
YAMAHA	XJR1300/SP	99-01	500-128	
YAMAHA	XJR1300R P01	99-01	500-128	
YAMAHA	XJR1300R P06	02 on	500-279	SAE 10 fork oil. 150mm air gap.
YAMAHA	XVZ1300A Royal Star Venture	96 on	500-179	
YAMAHA	XV1600 Wild Star VP08	99 on	500-179	40mm x 36.5mm spacer required on some models.